

Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28 Revised: 2024/09/17

Section 1 - Identification

Product identifier IJ Primer PR-200

Product code PR200-Z-22/PR200-Z-60/PR200-Z-BA/PR200-Z-BA

Ink Ver. 3

Recommended use of the chemical and

restrictions on use

Manufacturer MIMAKI ENGINEERING CO., LTD.

2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

+81-268-64-2413

IJ Ink Primer of UV Cure ink

Importer / Distributor Information MIMAKI AUSTRALIA PTY LTD.

Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

+ 61-2-8036-4500

Emergency telephone number +61 2 8014 4558 (within Australia only)

18000 74234 (within Australia only)

+65 3158 1074

Section 2 - Hazard(s) Identification

Classification of the hazardous chemical

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Sensitization - skin Category 1

Specific target organ toxicity (single exposure) Category 3

(respiratory tract irritation)

Hazard to the aquatic environment (acute hazard) Category 1 Hazard to the aquatic environment (long-term hazard) Category 1

Label elements, including precautionary

statements

Pictograms or Symbols





Signal Word Warning

Hazard Statements H315 Causes skin irritation

H319 Causes serious eye irritation
H317 May cause an allergic skin reaction
H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention Avoid breathing mist, vapours and spray.(P261)

Wash thoroughly after handling.(P264)

Use only outdoors or in a well-ventilated area(P271)



Response

Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28 Revised: 2024/09/17

Contaminated work clothing should not be allowed out of the

workplace.(P272)

Avoid release to the environment(P273)

Wear protective gloves, eye protection and face protection.(P280) IF ON SKIN: Wash with plenty of soap and water(P302+P352)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing(P305+P351+P338)

Call a POISON CENTER/doctor. If you feel unwell.(P312)

Specific treatment.(P321)

If skin irritation or rash occurs: Get medical

advice/attention(P333+P313)

If eye irritation persists: Get medical advice/attention(P337+P313) Take off contaminated clothing and wash it before reuse.(P362)

Collect spillage(P391)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233) Store locked up(P405)

Disposal Dispose of contents/ container to an approved landfill.(P501)

Section 3 - Composition and Information on Ingredients

Substances or mixture	Mixtures		
Ingredients name	Contents	Chemical formula	CAS RN
Aliphatic monomer	80-90%	Unknown	Confidential
aromatic monomer	1-10%	Unknown	Confidential
Polyester Oligomer	<5%	Unknown	Confidential
Photopolymerization initiator	<5%	Unknown	Confidential
Other	<1%	Unknown	Confidential
2,6-Di-tert-butyl-p-cresol (BHT)	<0.2%	Unknown	128-37-0

Section 4 - First Aid Measures

In case of inhalation Call a doctor if you feel unwell.

In case of skin contact IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

In case of eye contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.



Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28 Revised: 2024/09/17

Section 5 - Fire Fighting Measures

Suitable extinguishing equipment Dry chemical, alcohol-resistant foam, CO2, sand.

Not suitable extinguishing media Cylindric water.

Specific hazards arising from the chemical Risk of producing harmful gases such as carbon monoxide. Avoid

inhalation of smoke or gases.

Special protective equipment and

precautions for fire fighters

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment Use goggles in

and emergency procedures

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental precautions Do not discharge into the drains, surface waters or ground water

directly.

Methods and materials for containment and

cleaning up

small spill: absorb with material such as non-combustible

materialwash thoroughly after handling

Large spills: Dike spills and dispose of in safe area.

Section 7 - Handling and Storage

Handling

Technical measures Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with

an eyewash facility and a safety shower.

Storage

Suitable storage conditions Store in well-ventilated place.

Section 8 - Exposure controls and personal protection

Control parameters

	ACGIH (TLV)	OSHA (PEL)	Occupational Exposure	
			Standards	
2,6-Di-tert-butyl-p-cresol (BHT)	TWA 2 mg/m3(IFV),STEL -	Not established	10 mg/m3 TWA	

Engineering controls

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with

an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static

electricity.

Individual protection measures, for example

personal protective equipment (PPE)

Eye and face protection

Hand protection

If necessary, wear protective eye protection.

Skin protection If necessary, wear protective clothing.

If necessary, wear protective gloves.



Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28 Revised: 2024/09/17

Respiratory protection

If necessary, wear respiratory protection.

Section 9 - Physical and Chemical Properties

Α	n	n	e	aı	ra	n	c	e
$\overline{}$	v	v	U	aı	а		v	$\overline{}$

Physical state Liquid Yellow Color Odor Slight odor

Odor threshold No data available Ha No data available Melting point/freezing point No data available Initial boiling point and boiling ranget No data available

106°C Flash point

Evaporation rate No data available Flammability(Solid,Gas) No data available Flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available No data available Relative density Non-water-soluble Solubility Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available No data available Decomposition temperature No data available Viscosity

Section 10 - Stability and Reactivity

Reactivity When heated, it decomposes to produce carbon monoxide and

carbon dioxide.

Stable under normal conditions of use. Chemical stability

Possibility of hazardous reactions No information available

Conditions to avoid Sunlight, heat, open flame, high temperature, sparks, static

electricity, and other sources of ignition.

Incompatible materials No information available

Combustion produces carbon monoxide, carbon dioxide. Hazardous decomposition products

Section 11 - Toxicological Information

Acute toxicity (Oral) Category 4:Other (converted value = 500mg/kg, source: Registered

substances (ECHA))

Not classified:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE), Aliphatic monomer (toxicity value = 5000mg/kg, source: Registered

substances (ECHA))

Classification not possible:aromatic monomer (source: GHS

Hazardous Chemical Information List), Photopolymerization initiator



Acute toxicity (Dermal)

Acute toxicity (Inhalation : Gases)

Skin corrosion/ Irritation

Acute toxicity (Inhalation : Vapours)

Acute toxicity (Inhalation : dust/mist)

Safety Data Sheets

Product Name: IJ Primer PR-200 SDS No. 037-0065953

> First issue: 2021/01/28 Revised: 2024/09/17

(source: GHS Hazardous Chemical Information List)

No data:Confidential (source: None)

Calculation result = 4887.6889849mg/kg. Classification result =

Classification not possible.

Not classified:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE) Classification not possible:Other (source: Registered substances (ECHA)), aromatic monomer (source: GHS Hazardous Chemical

Information List), Aliphatic monomer (source: Registered

substances (ECHA)), Photopolymerization initiator (source: GHS

Hazardous Chemical Information List) No data:Confidential (source: None)

Contains substance of unknown toxicity. Changed from Not

classified to Classification not possible.

Does not fall under gas based on GHS definitions.

Unable to classify due to insufficient data. Unable to classify due to insufficient data.

Category 2: Aliphatic monomer (source: Registered substances (ECHA)), aromatic monomer (source: Registered substances

(ECHA))

Not classified:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE) Classification not possible:Other (source: Registered substances (ECHA)), Photopolymerization initiator (source: GHS Hazardous

Chemical Information List)

No data:Confidential (source: None)

Sum of Category 2 Concentration limit = 10%. Classification result =

Category 2.

Category 1:Other (source: Registered substances (ECHA)) Category 2: Aliphatic monomer (source: Registered substances

Category 2B:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE) Classification not possible:aromatic monomer (source: GHS

Hazardous Chemical Information List), Photopolymerization initiator

(source: GHS Hazardous Chemical Information List)

No data:Confidential (source: None)

Sum of Eye category 2 Concentration limit = 10%. Classification

result = Category 2A.

Unable to classify due to insufficient data.

Category 1:Aliphatic monomer (source: Registered substances

Respiratory Sensitization Skin Sensitization

Serious eye damage/irritation

Page 5 of 9



Product Name: IJ Primer PR-200 SDS No. 037-0065953

> First issue: 2021/01/28 Revised: 2024/09/17

(ECHA)), Photopolymerization initiator (source: GHS Hazardous Chemical Information List)

Category 1B:aromatic monomer (source: Registered substances (ECHA))

Classification not possible:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE), Other (source: Registered substances (ECHA)) No data:Confidential (source: None)

Germ cell mutagenicity Carcinogenicity Reproductive toxicity

aromatic monomer >= 1% Classification result = Category 1 Unable to classify due to insufficient data. Unable to classify due to insufficient data.

Category 2:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE) Classification not possible:Other (source: Registered substances (ECHA)), aromatic monomer (source: GHS Hazardous Chemical Information List), Aliphatic monomer (source: Registered substances (ECHA)), Photopolymerization initiator (source: GHS Hazardous Chemical Information List) No data:Confidential (source: None)

Substances classified as hazardous are below the concentration limit. Contains substance of unknown toxicity. Changed from Not classified to Classification not possible.

Ingredients not contributing to classification: 2,6-Di-tert-butyl-p-cresol (BHT) (category = Category 2, source: NITE)

Reproductive toxicity, effects on or via lactation

Specific target organ toxicity - Single exposure

Unable to classify due to insufficient data.

Category 1:2,6-Di-tert-butyl-p-cresol (BHT) (organ = nervous system, source: NITE)

Category 3:Aliphatic monomer (organ = respiratory tract irritation, source: Registered substances (ECHA))

Classification not possible:Other (source: Registered substances (ECHA)), aromatic monomer (source: GHS Hazardous Chemical Information List), Photopolymerization initiator (source: GHS

Hazardous Chemical Information List) No data:Confidential (source: None)

Specific target organ toxicity - Repeated exposure

Sum of Category 3(respiratory tract irritation) Concentration limit = 20%. Classification result = Category 3(respiratory tract irritation). Category 2:2,6-Di-tert-butyl-p-cresol (BHT) (organ = liver, lung, source: NITE), Other (organ = spleen, liver, source: Registered

Page 6 of 9



Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28 Revised: 2024/09/17

substances (ECHA))

Classification not possible:aromatic monomer (source: GHS Hazardous Chemical Information List), Aliphatic monomer (source: Registered substances (ECHA)), Photopolymerization initiator

(source: GHS Hazardous Chemical Information List)

No data:Confidential (source: None)

Substances classified as hazardous are below the concentration limit. Contains substance of unknown toxicity. Changed from Not classified to Classification not possible.

Unable to classify due to insufficient data.

Aspiration hazard

Section 12 - Ecological Information

Hazardous to the Aquatic Environment -Acute Toxicity

Category 1:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE), Aliphatic monomer (source: Registered substances (ECHA)) Category 2:aromatic monomer (source: GHS Hazardous Chemical

Information List)

Classification not possible:Other (source: Registered substances (ECHA)), Photopolymerization initiator (source: GHS Hazardous

Chemical Information List)

No data:Confidential (source: None)

Category 1 x M factor >= concentration limit(25%). Classification result = Category 1.

Hazardous to the Aquatic Environment -Chronic Toxicity

Category 1:2,6-Di-tert-butyl-p-cresol (BHT) (source: NITE), Aliphatic monomer (source: Registered substances (ECHA)) Category 2:aromatic monomer (source: Registered substances (ECHA))

Category 4:Photopolymerization initiator (source: GHS Hazardous

Chemical Information List)

Classification not possible:Other (source: Registered substances

No data:Confidential (source: None)

Category 1 x M factor >= concentration limit(25%). Classification

result = Category 1.

Hazardous to the Ozone layer Unable to classify due to insufficient data.

Section 13 - Disposal considerations

Residual waste

Before disposal, make the wastes harmless, stabilized, and neutralized, and minimize danger and toxicity of the wastes. Dispose of waste in accordance with local, state and federal



Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28

Revised: 2024/09/17

regulations.

Contaminated container and packaging

Passed to a licensed waste contractor.

In case of disposal of empty containers, remove the content

thoroughly.

Section 14 - Transport Information

International regulations

IMDG

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) Ш Packing group

Special Provision 2.10.2.7 *1

IATA

UN number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN proper shipping name

Transport hazard class(es) Packing group Ш

A197 *1 Special Provision

ADG

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9 Ш Packing group

*1 Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is excepted from Dangerous Goods

regulations -- see UN Special Provision.

Section 15 - Regulatory Information

No main regulation

Component Analysis - Inventory

2,6-Di-tert-butyl-p-cresol (BHT) (128-37-0)

TSCA - United States	ENCS - Japan	KECI Annex 1, 2 - Korea	IECSC - China	DSL/NDSL - Canada	PICCS - Philippines	AICS - Australia	EINECS/ELINCS - European Union	TCSI - Taiwan	NZIoC - New Zealand
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Section 16 - Other information

Literature References NITE GHS

EU CLP Regulation, AnnexVI

Other data The information suggested in this Safety Data Sheet does not

> comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty



Product Name: IJ Primer PR-200

SDS No. 037-0065953 First issue: 2021/01/28 Revised: 2024/09/17

regarding such information and recommendations and disclaims all liability for reliance thereon.

First issue: 2021/01/28 Revised: 2024/09/17

Page 9 of 9