

Product Name: ES3 ink Yellow SDS No. 037-S042023

First issue: 2017/04/13 Revised: 2019/10/30

Safety Data Sheets

1. Identification

Product Name : ES3 ink Yellow Order No. : SPC-0440Y

General Use : Ink for ink jet printer
Product Description : Solvent pigment ink

SDS Number : 037-S042023

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413 Importer / Distributor Established in Australia

Company Name : MIMAKI AUSTRALIA PTY LTD.

Address : Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

Telephone No. : + 61-2-8036-4500

Emergency Telephone No. : +61 2 8014 4558 (within Australia only)

18000 74234 (within Australia only)

+65 3158 1074

2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Category 4

Health Hazards

Skin Corrosion / Irritation : Category 2
 Eye Damage / Irritation : Category 1
 Toxic to Reproduction : Category 1

Specific Target Organ Toxicity : Category 2 (central nerve)

(Single Exposure)

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements]



Product Name: ES3 ink Yellow SDS No. 037-S042023

First issue: 2017/04/13 Revised: 2019/10/30

Safety Data Sheets

Symbol





Signal Word Danger

Hazard Statements

H227 Combustible liquid

H315 Causes skin irritation

H318 Causes serious eye damage

H360 May damage fertility or the unborn child

H371 May cause damage to organs (central nerve)

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's operation manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from open flames and other ignition sources. No smoking.

P260 Do not breathe gas/mist.

P264 Wash hands and eyes thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

[Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

(P305+)P310 (IF IN EYES:) Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P308+P311 If exposed or concerned: Call a POISON CENTER/ doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use alcohol-resistant-related fire foam, dry chemical, carbon dioxide, water spray, dry sand for extinguish.

[Storage]

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

[Disposal]

 $P501\ Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/$

international regulation (to be specified).

HMIS Rating (scale 0-4)

NFPA Rating (scale 0-4)

Health = 2

Flammability= 2

Reactivity = 1

Protective Equipment = C



Health = 2

Flammability = 2

Instability = 1

Special = 0





Product Name: ES3 ink Yellow

SDS No. 037-S042023 First issue: 2017/04/13 Revised: 2019/10/30

CANADIAN WHMIS SYMBOLS: Not applicable

3. Composition / Information on Ingredients

Mixtures

Chemical Name	Wt%	CAS No.	Chemical
			Formula
Bis(2-ethoxyethyl)ether	55-65	112-36-7	$C_8H_{18}O_3$
Bis(2-(2-methoxyethoxy)ethyl) ether	10-20	143-24-8	${ m C}_{10}{ m H}_{22}{ m O}_5$
gamma-Butyrolactone	<20	96-48-0	$\mathrm{C_4H_6O_2}$
Colorant (Nickel	1-5	Trade Secret	-
compound)			
Tetraethylene Glycol Monobuthyl Ether	1-5	1559-34-8	${ m C}_{12}{ m H}_{26}{ m O}_5$

4. First Aid Measures

Skin Contact : Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with

plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of

water

Eye Contact : After contact with the eyes, rinse with water with the eyelids open

for a sufficient length of time, then consult an opthalmologist

immediately.

Protect uninjured eye.

Ingestion : Do not under any circumstances induce vomiting. OBTAIN A

MEDICAL EXAMINATION IMMEDIATELY.

Inhalation : Remove casualty to fresh air and keep warm and at rest.

Most important : none

symptoms and effects, both acute and delayed

Indication of any : In case of accident or unwellness, seek medical advice immediately



Product Name: ES3 ink Yellow SDS No. 037-S042023

First issue: 2017/04/13 Revised: 2019/10/30

Safety Data Sheets

immediate medical

(show directions for use or safety data sheet if possible).

attention and special

Treatment: None

treatment needed

5. Fire Fighting Measures

Flammable Properties : Flash point : 71°C / 160° F

Extinguishing Media : CO2 or Dry chemical fire extinguisher.

Unsuitable Extinguishing : None in particular.

Media

Special hazards arising : Do not inhale explosion and combustion gases.

from the substance or

Burning produces heavy smoke.

mixture

Advice for firefighters : Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Move undamaged containers from immediate hazard area if it can

be done safely.

6. Accidental Release Measures

Personal precautions, : Wear personal protection equipment.

protective equipment Remove persons to safety.

and emergency See protective measures under point 7 and 8.

procedures

Environmental : Do not allow to enter into soil/subsoil. Do not allow to enter into

precautions: surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains,

inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for : Wash with plenty of water.

containment and

cleaning up

Reference to other : See also section 8 and 13

sections



Product Name: ES3 ink Yellow SDS No. 037-S042023

First issue: 2017/04/13 Revised: 2019/10/30

7. Handling and Storage

Precautions for safe : Avoid contact with skin and eyes, inhalation of vapours and mists.

handling Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any

incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe : Keep away from food, drink and feed.

storage, including any Incompatible materials: None in particular.

incompatibilities Instructions as regards storage premises: Adequately ventilated

premises.

Specific end use(s) : None in particular

8. Exposure Controls / Personal Protection

Control parameters : No occupational exposure limit available

DNEL Exposure Limit : Bis(2-ethoxyethyl) ether - CAS: 112-36-7

Values Worker Industry: 5.96 mg/m3 - Exposure: Human Inhalation

Worker Industry: 1.71 mg/kg/day - Exposure: Human Oral

Worker Professional: 50.05 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Professional: 3.43 mg/kg/day - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

: Bis(2-(2-methoxyethoxy)ethyl) ether - CAS: 143-24-8

Worker Professional: 22 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Professional: 3 mg/kg/day - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

PNEC Exposure Limit : Bis(2-ethoxyethyl) ether - CAS: 112-36-7

Values Target: Fresh Water - Value: 0.001 mg/l

Target: Freshwater sediments - Value: 0.007 mg/kg

Target: Marine water - Value: 0.0001397 mg/l

Target: Marine water sediments - Value: 0.0006778 mg/kg



Product Name: ES3 ink Yellow SDS No. 037-S042023

First issue: 2017/04/13 Revised: 2019/10/30

Target: Air - Value: 0.000001105 mg/m3

: Bis(2-(2-methoxyethoxy)ethyl) ether - CAS: 143-24-8

Target: Fresh Water - Value: 32 mg/l

Target: Freshwater sediments - Value: 127 mg/kg

Target: Marine water - Value: 3.2 mg/l

Target: Marine water sediments - Value: 12.7 mg/kg

Target: Microorganisms in sewage treatments - Value: 500 mg/l

Legend:

DNEL: Derived No Effect Level, PNEC: Predicted No Effect Concentration

Exposure Controls

Occupational Exposure Controls

Engineering Controls : Use exhaust ventilation to avoid from exposure.

Eye protection : Use close fitting safety goggles, don't use eye lens.

: Use clothing that provides comprehensive protection to the skin, e.g. Protection for skin

cotton, rubber, PVC or viton.

Protection for : Use protective gloves that provides comprehensive protection, e.g.

hands P.V.C., neoprene or rubber.

Respiratory : Not needed for normal use.

protection

Thermal Hazards : none Environmental : none

exposure controls

9. Physical and Chemical Properties

[Information on basic physical and chemical properties]

Upper/lower flammability or explosive limits

- Physical State Appearance : liquid

> - Color : Yellow

Odor : Slightly

Odour threshold : No data available

: Not Relevant Hα

Melting point / freezing point : No data available

Initial boiling point and boiling range

Solid/gas flammability : No data available

Vapour density : No data available

Flash point : 71 °C / 160 ° F (Cleveland open cup method, JIS

: No data available

: No data available



Product Name: ES3 ink Yellow

SDS No. 037-S042023 First issue: 2017/04/13 Revised: 2019/10/30

K2265-4)

Evaporation rate : No data available
Vapour pressure : No data available

Relative density : 0.9 - 1.1

Solubility in water : Slightly soluble
Solubility in oil : No data available
Partition coefficient (n-octanol/water) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Viscosity :< 5 mPa·s

Explosive properties : No data available
Oxidizing properties : No data available

[Other information]

Miscibility : No data available
Fat Solubility : No data available
Conductivity : No data available

10. Stability and Reactivity

Reactivity : Stable under normal conditions.
Chemical stability : Stable under normal conditions.

Possibility of hazardous : none

reactions

Conditions to avoid : Stable under normal conditions.

Incompatible materials : None in particular.

Hazardous : none

decomposition products

11. Toxicological Information

[Information on toxicological effects]

Toxicological information of the mixture

acute toxicity : Test: LD50 - Route: Oral - Species: Rat > 2500 mg/kg

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

skin : Test: Skin Irritant - Species: Rabbit Mild irritant

corrosion/irritation

serious eye : Test: Eye Irritant - Species: Rabbit Corrosive



Product Name: ES3 ink Yellow

SDS No. 037-S042023 First issue: 2017/04/13

Revised: 2019/10/30

Safety Data Sheets

damage/irritation

respiratory or skin : Test: Skin Sensitisation - Route: LLNA - Species: Mouse

sensitisation Non-sensitiser

germ cell : Test: Mutagenesis - Species: Salmonella Typhimurium and

mutagenicity Escherichia coli Negative

Toxicological information of the main substances found in the mixture

Bis(2-ethoxyethyl) ether - CAS: 112-36-7

acute toxicity : Test: LD50 - Route: Oral - Species: Rat = 4970 mg/kg - Notes: OECD

TG No.401

: Test: Eye Irritant - Species: Rabbit Non-irritant - Notes: OECD TG serious eye

damage/irritation No.405

Bis(2-(2-methoxyethoxy)ethyl) ether - CAS: 143-24-8

: Test: LD50 - Route: Oral - Species: Rat = 3850 mg/kg - Notes: OECD acute toxicity

Guideline 401 (Acute Oral Toxicity)

: Test: Skin Irritant - Species: Rabbit Non-irritant - Notes: OECD skin

corrosion/irritation Guideline 404 (Acute Dermal Irritation / Corrosion)

: Test: Eye Irritant - Species: Rabbit Non-irritant - Notes: OECD serious eye

damage/irritation Guideline 405 (Acute Eye Irritation / Corrosion)

germ cell : Test: Mutagenesis - Species: Salmonella Typhimurium and

Escherichia coli Negative - Notes: OECD Guideline 471 (Bacterial mutagenicity

Reverse Mutation Assay)

reproductive toxicity : Test: Reproductive Toxicity - Route: Oral - Species: Rat reprotoxic

category 3 -Notes: OECD Guideline 421 (Reproduction / Developmental

Toxicity Screening Test)

Substance(s) listed on the IARC Monographs

: gamma-Butyrolactone - Group 3.

Colorant (Nickel compound) - Group 1.

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Toxicity : Bis(2-ethoxyethyl) ether - CAS: 112-36-7

Aquatic acute toxicity

Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 96 Endpoint: LC50 - Species: Daphnia = 6600 mg/l - Duration h: 96



Product Name: ES3 ink Yellow SDS No. 037-S042023

First issue: 2017/04/13 Revised: 2019/10/30

: Bis(2-(2-methoxyethoxy)ethyl) ether - CAS: 143-24-8

Aquatic acute toxicity

Endpoint: EC50 - Species: Daphnia = 7467 mg/l - Duration h: 48 -

Notes: OECD

Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Endpoint: ErC50 - Species: Algae = 8996 mg/l - Duration h: 72 -

Notes: OECD

Guideline 201 (Alga, Growth Inhibition Test)

Persistence and : No data available

Degradability

Bioaccumulative : No data available

Potential

Mobility in soil : No data available

Results of PBT and : vPvB Substances: None - PBT Substances: None

vPvB assessment

Other Adverse Effects : none.

13. Disposal Considerations

Waste treatment : Recover if possible. In so doing, comply with the local and national

methods regulations currently in force.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

UN number : Not classified as dangerous in the meaning of transport regulations.

UN proper shipping : No data available.

name

Transport hazard : No data available.

class(es)

Packing group : No data available.

Environmental hazards : No data available.

Special precautions for : No data available.

user

Transport in bulk : No data available.



Product Name: ES3 ink Yellow SDS No. 037-S042023 First issue: 2017/04/13

Revised: 2019/10/30

according to Annex II of MARPOL73/78 and the IBC Code

15. Regulatory Information

[EU Information]

: Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII

Regulation (EC) 1907/2006 (REACH) and subsequent modifications

: Restriction 3 Restrictions related

to the product

Restrictions related : No restriction

to the substances

contained

: Directive 2003/105/CE ('Activities linked to risks of serious Where applicable,

refer to the following accidents') and subsequent amendments.

regulatory provisions Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to : No data available

directives

82/501/EC(Seveso),

96/82/EC(Seveso II)

[USA Information]

TSCA - Toxic : TSCA inventory: all the components are listed on the TSCA

Substances Control inventory.



Product Name: ES3 ink Yellow SDS No. 037-S042023

> First issue: 2017/04/13 Revised: 2019/10/30

Safety Data Sheets

Act TSCA listed substances: Bis(2-ethoxyethyl) ether is listed in TSCA

Section 5a - SNUR, Section 12b.

SARA - Superfund : Section 302 – Extremely Hazardous Substances: no substances

Amendments and listed.

Reauthorization Act Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: Bis(2-ethoxyethyl) ether.

CAA - Clean Air Act : CAA listed substances:

Bis(2-ethoxyethyl) ether is listed in CAA Section 111, Section 112.

Colorant (Nickel compound) is listed in CAA Section 112.

: Substance(s) listed under California Proposition 65: Colorant (Nickel California Proposition

65 compound) - Listed as carcinogen.

[Canada Information]

WHMIS Controlled : Not applicable (Manufactured article)

Product

[Australia Information]

Statement of : Classified as Toxic and Irritant according to criteria of NOHSC

Hazardous Nature

[New Zealand Information]

Hazardous Substances : Not regulated

and New Organisms

Act 1996

Chemical safety : No.

assessment

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.