



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

SS21 ink Black

**Product Description**

SPC-0501K-2 / SPC-0588K-2 / SS21-K-60-2

**Product Use**

INK JET ink

**Restrictions on Use**

None known

**Manufacturer Information**

Mimaki Engineering Co., Ltd

2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 Japan

Phone: +81-268-64-2413

**Importer / Distributor Information**

MIMAKI AUSTRALIA PTY LTD.

Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

Phone: + 61-2-8036-4500

**Emergency telephone number**

+61 2 8014 4558 (within Australia only)

18000 74234 (within Australia only)

+65 3158 1074

### Section 2 - HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

COMBUSTIBLE LIQUID, regulated for storage purposes only.

Poisons Schedule: Not Applicable.

**Classification**

Flammable Liquid	: Category 4
Serious Eye Damage	: Category 1
Carcinogenicity	: Category 2
Reproductive Toxicity	: Category 1B
Specific target organ toxicity - repeated exposure	: Category 2

**GHS Label Elements****Symbol(s)****Signal Word**

Danger

**Hazard Statement(s)**

H318 Causes serious eye damage.



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H227 Combustible liquid.

### Precautionary Statement(s)

#### Prevention

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

#### Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER or doctor/physician.

P370+P378 In case of fire: Use water spray/fog for extinction.

#### Storage

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container in accordance with local regulations.

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS No	Name	%[weight]
Trade secret	Glycol ether solvents	75-85
Trade secret	Lactone solvent series	10-20
Trade secret	Pigment	1-5
Trade secret	Vinyl resin	1-5
Trade secret	Corrosion inhibitor	0.1-1

### Section 4 - FIRST AID MEASURES

#### Description of first aid measures

##### Eye Contact

: If this product comes in contact with the eyes:

Immediately hold eyelids apart and flush the eye continuously with running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

Transport to hospital or doctor without delay.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

##### Skin Contact

: If skin or hair contact occurs:

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

##### Inhalation

: If fumes, aerosols or combustion products are inhaled remove from



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

	contaminated area. Other measures are usually unnecessary.
Ingestion	: Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.
Indication of any immediate medical attention and special treatment needed	: Treat symptomatically.

### Section 5 - FIRE FIGHTING MEASURES

Extinguishing media	: Foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide. Water spray or fog - Large fires only.
Fire Incompatibility	: None known.
Fire Fighting	: Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	: Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit irritating/ toxic fumes. May emit acrid smoke. Mists containing combustible materials may be explosive. May emit poisonous fumes. May emit corrosive fumes.
HAZCHEM	: Not Applicable.

### Section 6 - ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

See section 8.

#### Environmental precautions

See section 12.

#### Methods and material for containment and cleaning up

Minor Spills	: Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	: Moderate hazard.



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

Clear area of personnel and move upwind.  
Alert Fire Brigade and tell them location and nature of hazard.  
Wear breathing apparatus plus protective gloves.  
Prevent, by any means available, spillage from entering drains or water course.  
No smoking, naked lights or ignition sources.  
Increase ventilation.  
Stop leak if safe to do so.  
Contain spill with sand, earth or vermiculite.  
Collect recoverable product into labelled containers for recycling.  
Absorb remaining product with sand, earth or vermiculite.  
Collect solid residues and seal in labelled drums for disposal.  
Wash area and prevent runoff into drains.  
If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### Section 7 - HANDLING AND STORAGE

Precautions for safe handling : Avoid all personal contact, including inhalation.  
Wear protective clothing when risk of exposure occurs.  
Use in a well-ventilated area.  
Avoid smoking, naked lights or ignition sources.  
Avoid contact with incompatible materials.  
When handling, DO NOT eat, drink or smoke.  
Keep containers securely sealed when not in use.  
Avoid physical damage to containers.  
Always wash hands with soap and water after handling.  
Work clothes should be laundered separately.

Conditions for safe storage : Store in original containers.  
Keep containers securely sealed.  
No smoking, naked lights or ignition sources.  
Store in a cool, dry, well-ventilated area.  
Store away from incompatible materials and foodstuff containers.  
Protect containers against physical damage and check regularly for leaks.  
Observe manufacturer's storage and handling recommendations contained within this SDS.

Storage : None known  
incompatibility

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control parameters

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Ingredient	Material name	TWA	STEL	Peak	Notes
Pigment	Carbon black	3 mg/m <sup>3</sup>	Not Available	Not Available	Not Available

Source: Australia Exposure Standards

#### EMERGENCY LIMITS

## Safety Data Sheets

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Pigment	Carbon black	9 mg/m <sup>3</sup>	99 mg/m <sup>3</sup>	590 mg/m <sup>3</sup>
Vinyl resin	Trade secret	120 mg/m <sup>3</sup>	1,300 mg/m <sup>3</sup>	7,900 mg/m <sup>3</sup>
Lactone solvent series	Trade secret	3.6 mg/m <sup>3</sup>	39 mg/m <sup>3</sup>	310 mg/m <sup>3</sup>

Ingredient	Original IDLH	Revised IDLH
Pigment	N.E. mg/m <sup>3</sup> / N.E. ppm	1,750 mg/m <sup>3</sup>
Vinyl resin	Not Available	Not Available
Glycol ether solvents	Not Available	Not Available
Lactone solvent series	Not Available	Not Available
Corrosion inhibitor	Not Available	Not Available

### Exposure controls

Appropriate Engineering Controls : General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.


### Personal protection

Respiratory Protection : Consult with a health and safety professional for specific respirators appropriate for your use.

Hand Protection : Wear chemical protective gloves, e.g. PVC.

Eye Protection : Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

Skin Protection : Wear safety footwear or safety gumboots, e.g. Rubber. Overalls.  
P.V.C. apron.



## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance: Black liquid

Physical state	Liquid	Relative density (Water = 1)	0.975
Odour	Slight	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	169
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	176-204	Molecular weight (g/mol)	Not Available
Flash point (°C)	71.1	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Combustible	Oxidising properties	Not Available
Upper Explosive Limit (%)	33	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	2	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	2.67	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
--------------------------	---------------	---------	---------------

### Section 10 - STABILITY AND REACTIVITY

Reactivity	: Stable under normal conditions of use.
Chemical Stability	: Unstable in the presence of incompatible materials. Product is considered stable.
Possibility of Hazardous Reactions	: Hazardous polymerisation will not occur.
Conditions to Avoid	: See section 7.
Incompatible Materials	: See section 7.
Hazardous decomposition products	: See section 5.

### Section 11 - TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

Inhaled	: The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	: The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	: The liquid may be miscible with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives . Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	: If applied to the eyes, this material causes severe eye damage.
Chronic	: Substance accumulation, in the human body, is likely and may cause some concern following repeated or long-term occupational exposure. There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects. Ample evidence from experiments exists that there is a suspicion this material directly reduces fertility. Based on experience with animal studies, exposure to the material may result in toxic effects to the development of the foetus, at levels which do not cause significant toxic effects to the mother.

	TOXICITY	IRRITATION
As a Product	Not Available	Not Available
Pigment	Not Available	Not Available



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

Vinyl resin	Not Available	Not Available
Glycol ether solvents	Not Available	Not Available
Lactone solvent series	Not Available	Not Available
Corrosion inhibitor	Not Available	Not Available

Acute Toxicity : Data Not Available to make classification.  
Skin Irritation/Corrosion : Data Not Available to make classification.  
Serious Eye Damage/Irritation : Data available to make classification.  
Respiratory or Skin sensitisation : Data Not Available to make classification.  
Mutagenicity : Data Not Available to make classification.  
Carcinogenicity : Data available to make classification.  
Reproductivity : Data available to make classification.  
STOT – Single Exposure : Data Not Available to make classification.  
STOT – Repeated Exposure : Data available to make classification.  
Aspiration Hazard : Data Not Available to make classification.

### Section 12 - ECOLOGICAL INFORMATION

#### Ecotoxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
Pigment	LC50	96	Fish	=1000mg/L	1
	EC50	24	Crustacea	>5600mg/L	1
	EC50	96	Fish	=1000mg/L	1
Glycol ether solvents	LC50	96	Fish	713.772mg/L	3
	EC50	96	Algae or other aquatic plants	4246.290mg/L	3
	EC50	384	Crustacea	163.553mg/L	3
Lactone solvent series	LC50	96	Fish	220mg/L	1
	EC50	48	Crustacea	>500mg/L	1
	EC50	96	Algae or other aquatic plants	16.400mg/L	3
	EC20	72	Algae or other aquatic plants	=14mg/L	1
	NOEC	24	Fish	=5mg/L	1
Corrosion inhibitor	LC50	96	Fish	1514.080mg/L	3
	EC50	48	Crustacea	374mg/L	2
	EC50	96	Algae or other aquatic plants	61.454mg/L	3
	EC50	504	Crustacea	59.8mg/L	2
	NOEC	504	Crustacea	3.99mg/L	2

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances – Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated)

**DO NOT discharge into sewer or waterways.**

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
Glycol ether solvents	LOW	LOW



Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

Lactone solvent series	LOW	LOW
Corrosion inhibitor	LOW	LOW

### Bioaccumulative potential

Ingredient	Bioaccumulation
Glycol ether solvents	LOW (LogKOW = 0.0093)
Lactone solvent series	LOW (BCF = 1.8)
Corrosion inhibitor	LOW (LogKOW = -0.6047)

### Mobility in soil

Ingredient	Mobility
Glycol ether solvents	LOW (KOC = 10)
Lactone solvent series	LOW (KOC = 7.134)
Corrosion inhibitor	HIGH (KOC = 1)

## Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods : Dispose in accordance with all applicable regulations.  
Disposal of Contaminated : Empty containers may contain product residue. Dispose in accordance with all  
Packaging applicable regulations.

## Section 14 - TRANSPORT INFORMATION

COMBUSTIBLE LIQUID : COMBUSTIBLE LIQUID, regulated for storage purposes only.  
Marine Pollutant : NO.  
HAZCHEM : Not Applicable.  
Land transport (ADG) : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.  
Air transport (ICAO-IATA / : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.  
DGR)  
Sea transport (IMDG-Code / : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.  
GGVSee)  
Transport in bulk according to : Not Applicable.  
Annex II of MARPOL and the  
IBC code

## Section 15 - REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture  
FOUND ON THE FOLLOWING REGULATORY LISTS

PIGMENT	Australia Exposure Standards Australia Hazardous Substances Information System - Consolidated Lists Australia Inventory of Chemical Substances (AICS)
VINYL RESIN	Australia Inventory of Chemical Substances (AICS)
GLYCOL ETHER SOLVENTS	Australia Inventory of Chemical Substances (AICS)
LACTONE SOLVENT SERIES	Australia Inventory of Chemical Substances (AICS)
CORROSION INHIBITOR	Australia Inventory of Chemical Substances (AICS)

### Inventory

National Inventory	Status
--------------------	--------





Product Name: SS21 ink Black  
SDS No. 037-S080884  
First issue: 2015/09/16  
Revised: 2024/07/03

## Safety Data Sheets

Australia - AICS	Y
Canada - DSL	N
Canada - NDSL	Y
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Y
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	N
USA - TSCA	Y

Legend: Y = All ingredients are on the inventory.

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing (see specific ingredients in brackets).

### Section 16 - OTHER INFORMATION

#### Other Information

##### Disclaimer:

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.