



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

SU100 Magenta

**Product Description**

SU100-M-60

**Product Use**

UV cure ink for ink jet printer

**Restrictions on Use**

None known.

**Manufacturer Information**

Mimaki Engineering Co., Ltd  
2182-3 Shigeno-otsu, Tomi-shi, Nagano  
389-0512 Japan

Telephone number: +81-268-64-2413

**Importer / Distributor Information**

MIMAKI AUSTRALIA PTY LTD.  
Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

Telephone number: + 61-2-8036-4500

**Emergency telephone number**


+61 2 8014 4558 (within Australia only)  
18000 74234 (within Australia only)  
+65 3158 1074

### Section 2 - HAZARDS IDENTIFICATION

Classified to Globally Harmonised System of Classification and Labelling of Chemicals, Third revised edition, published by the United Nations as modified under Schedule 6 of the Work Health and Safety Regulation.

**GHS Classification**

Flammable Liquids - Category 4  
Serious Eye Damage/Eye Irritation - Category 1  
Skin Sensitization - Category 1A

**GHS Label Elements****Symbol(s)****Signal Word**

Danger

**Hazard Statement(s)**

Combustible liquid.  
Causes serious eye damage.  
May cause allergic skin reaction.

**Precautionary Statement(s)****Prevention**

Keep away from heat/sparks/open flame/hot surfaces - No smoking.  
Wear protective gloves/protective clothing/eye protection/face protection.



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

### Response

In case of fire: Use appropriate media for extinction.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

Immediately call a POISON CENTER or doctor/physician.

### Storage

Store in a well-ventilated place. Keep cool.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other Hazards Which Do Not Result in Classification

None known.

### Main Symptoms and Emergency Overview

Causes serious eye damage. May cause allergic skin reaction.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
112-36-7	Bis(2-ethoxyethyl) ether	40-70
96-48-0	2(3H)-Furanone, dihydro-	10-25
Confidential	Additives	10-20
NA	Quinacridone Pigment	1-5
162881-26-7	Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	1-5
4986-89-4	Pentaerythritol tetraacrylate	1-5

## Section 4 - FIRST AID MEASURES

### Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

### Skin

Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention.

### Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

### Ingestion

If swallowed, get medical attention.

### Most Important Symptoms/Effects

#### Symptoms: Immediate

eye damage, allergic skin reaction, skin irritation, central nervous system damage

#### Symptoms: Delayed

allergic skin reaction, reproductive effects

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## Section 5 - FIRE FIGHTING MEASURES

### Extinguishing Media



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

### **Suitable Extinguishing Media**

carbon dioxide, foam, powder, dry sand, water fog

### **Unsuitable Extinguishing Media**

Do not scatter spilled material with high-pressure water streams.

### **Special Hazards Arising from the Chemical**

Combustible liquid and vapor.

### **Hazardous Combustion Products**

oxides of carbon, oxides of phosphorus, oxides of nitrogen

### **Special Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion by-products. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire.

### **Hazchem/Emergency Action Code**

No data available

## Section 6 - ACCIDENTAL RELEASE MEASURES

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

### **Environmental Precautions**

Avoid release to the environment.

### **Methods and Materials for Containment and Cleaning Up**

Eliminate all ignition sources if safe to do so. Stop leak if possible without personal risk. Reduce vapors with water spray. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry.

## Section 7 - HANDLING AND STORAGE

### **Precautions for Safe Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flame, and hot surfaces - No smoking. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Wash thoroughly after handling.

### **Conditions for Safe Storage, Including any Incompatibilities**

Store in a well-ventilated place. Keep cool.

Store and handle in accordance with all current regulations and standards. Keep container tightly closed. Grounding and bonding required.

### **Incompatible Materials**

None known.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Component Exposure Limits**

Australia and ACGIH have not developed exposure limits for any of this product's components.



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

### EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

#### Engineering Controls

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

#### Individual Protection Measures, such as Personal Protective Equipment

##### Eye/face protection

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

##### Respiratory Protection

Consult with a health and safety professional for specific respirators appropriate for your use.

##### Glove Recommendations

Wear appropriate chemical resistant gloves.

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	magenta liquid	Physical State	liquid
Odor	characteristic odor	Color	magenta
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	77 °C
Lower Explosive Limit	2.7 vol %	Decomposition temperature	Not available
Upper Explosive Limit	15.6 vol %	Vapor Pressure	1.5 hPa @ 20 °C
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	9.99 mPa-s 25 °C	Solubility (Other)	Not available
Density	1.03 g/cm <sup>3</sup> at 20 °C	Physical Form	liquid
Molecular Weight	Not available		

### Section 10 - STABILITY AND REACTIVITY

#### Reactivity

No reactivity hazard is expected.

#### Chemical Stability

Stable under normal conditions of use.

#### Possibility of Hazardous Reactions

Will not polymerize.

#### Conditions to Avoid

Avoid flames, sparks, and other sources of ignition. Avoid direct sunlight. Avoid exposure to low temperatures or freezing.

#### Incompatible Materials

None known.

#### Hazardous decomposition products

oxides of carbon, oxides of phosphorus, oxides of nitrogen

### Section 11 - TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

##### Inhalation



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

irritation, lung damage, reproductive effects

### Skin Contact

allergic skin reaction, irritation

### Eye Contact

eye damage

### Ingestion

irritation, nausea, vomiting

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Bis(2-ethoxyethyl) ether (112-36-7)

Oral LD50 Rat 4970 mg/kg

#### 2(3H)-Furanone, dihydro- (96-48-0)

Oral LD50 Rat 1580 mg/kg

Dermal LD50 5000 mg/kg

Inhalation LC50 Rat >5100 mg/m3 4 h (no deaths occurred )

### Immediate Effects

eye damage, allergic skin reaction, skin irritation, central nervous system damage

### Delayed Effects

allergic skin reaction, reproductive effects

### Irritation/Corrosivity Data

Irritating to mucous membranes, skin.

eye damage: Additive Component Effects, Category 1.

### Respiratory Sensitization

No information available for the product.

### Dermal Sensitization

May cause an allergic skin reaction.

### Component Carcinogenicity

2(3H)-Furanone, dihydro-	96-48-0
IARC:	Monograph 71 [1999] ; Supplement 7 [1987] ; Monograph 11 [1976] (Group 3 (not classifiable))

### Germ Cell Mutagenicity

No information available for the product.

### Reproductive Toxicity

No information available for the product.

### Specific Target Organ Toxicity - Single Exposure

2(3H)-Furanone, dihydro-: central nervous system

### Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

### Aspiration hazard

No information available for the product.

### Medical Conditions Aggravated by Exposure

No information available for the product.

## Section 12 - ECOLOGICAL INFORMATION

### Ecotoxicity

May cause adverse environmental effects if used improperly or released into the environment. Prevent entry into sewers, drains, ditches, underground or confined spaces and waterways.

Product: No classification assigned.

### Component Analysis - Aquatic Toxicity



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

<b>2(3H)-Furanone, dihydro-</b>	<b>96-48-0</b>
Fish:	LC50 96 hr fish 200 - 460 mg/L
Algae:	EC50 72 h Desmodesmus subspicatus 360 mg/L IUCLID ; EC50 96 h Desmodesmus subspicatus 79 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna Straus >500 mg/L IUCLID

### Persistence and Degradability

No information available for the product.

### Bioaccumulative Potential

No information available for the product.

### Mobility in soil

No information available for the product.

### Other adverse effects

No data available

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose in accordance with all applicable regulations.

## Section 14 - TRANSPORT INFORMATION

### ADG Information:

No Classification assigned.

### IATA Information:

No Classification assigned.

### ICAO Information:

No Classification assigned.

### IMDG Information:

No Classification assigned.

### Component Marine Pollutants (IMDG)

Not regulated as dangerous goods.

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

<b>Bis(2-ethoxyethyl) ether</b>	<b>112-36-7</b>
IBC Code:	Category Z
<b>2(3H)-Furanone, dihydro-</b>	<b>96-48-0</b>
IBC Code:	Category Y

### Transportation Special Precautions

No additional information is available.

### Hazchem/Emergency Action Code

No data available

## Section 15 - REGULATORY INFORMATION

### Australia Regulations



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

### Work Health and Safety Regulations - Prohibited Carcinogens

No component(s) are listed on the Prohibited Carcinogens list.

### Work Health and Safety Regulations - Restricted Carcinogens

No component(s) are listed on the Restricted Carcinogens list.

### Work Health and Safety Regulations - Restricted Hazardous Chemicals

No component(s) are listed on the Restricted Hazardous Chemicals list:

### Australia Work Health and Safety Regulations - Hazardous Chemicals Requiring Health Monitoring

None of this product's components are on the list.

### Component Analysis - Inventory

#### Bis(2-ethoxyethyl) ether (112-36-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes

#### 2(3H)-Furanone, dihydro- (96-48-0)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

#### Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)- (162881-26-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	ELN	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes

#### Pentaerythritol tetraacrylate (4986-89-4)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes

## Section 16 - OTHER INFORMATION

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

### Other Information

#### Disclaimer:



## Safety Data Sheets

Product Name: SU100 Magenta  
SDS No. 037-S161423  
First issue: 2016/07/06  
Revised: 2025/01/10

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.