

### 1. Identification

Product Name	: UV ink Cyan
Order No.	: SPC-0371C-6
General Use	: For ink jet
Product Description	: UV curable ink
SDS Number	: 037-U011994
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	: +81-268-64-2413
Importer / Distributor Esta	blished in Australia
Company Name	: MIMAKI AUSTRALIA PTY LTD.
Address	: Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia
Telephone No.	: + 61-2-8036-4500
Emergency Telephone No.	: +61 2 8014 4558 (within Australia only)
	18000 74234 (within Australia only)
	$+65\ 3158\ 1074$

2. Hazards Identification	
[Classification of the substance or mixture]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Skin Corrosion / Irritation	Category 2
Eye Damage / Irritation	Category 2
Sensitization – Skin	Category 1
Specific Target Organ Toxicity	: Category 3
(Single Exposure)	
Environmental Hazards	
Hazardous to the Aquatic	Category 2
Environment - Long Term Hazard	
Classification according to Directive 67/5 Full text of R-phrases: see section 16 The above list does not include category	

[Hazard symbols]



Product Name: UV ink Cyan SDS No. 037-U011994 First issue: 2017/04/06 Revised: 2019/11/12

## Safety Data Sheets

Xi - Irritant N - Dangerous for the environment [Label Elements] Contains Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-Symbol



Signal Word Warning

Hazard Statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

Precautionary Statements - EU (§28, 1272/2008)

[Prevention]

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

 $\mathrm{P273}$  - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

[Response]

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P362 - Take off contaminated clothing and wash before reuse

[Other hazards]

Hazards not otherwise classified (HNOC)

· Not Applicable

Other hazards

· Toxic to aquatic life

### 3. Composition / Information on Ingredients

Pure substance/mixture: mixture

				Classification
Chamier I News	CAS No	weight-	Classification according to	according to Regulation
Chemical Name	CAS NO	%	Directive 67/548/EEC	(EC) No. 1272/2008
				[CLP]



Monomers	CBI	60-70	-	No data available
	29590-42-9	10-20	Xi; R36/37/38 N; R50-53	Skin Irrit. 2 (H315)
				Eye Irrit. 2 (H319)
Isooctyl acrylate (structure				STOT SE 3 (H335)
unspecified)				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)
Photoinitiator	CBI	5-10	-	No data available
Oligomer	CBI	5-10	-	No data available
PHTHALOCYANINE BLUE	147-14-8	1-5	-	No data available
Additives	CBI	1-5	-	No data available
Phosphine oxide,			D.40	
phenylbis(2,4,6-trimethylben	162881-26-7	1-5	R43	Skin Sens. 1 (H317)
zoyl)-			R53	Aquatic Chronic 4 (H413)

Full text of R-phrases: see section 16

Full text of H-phrases: see section 16

4. First Aid Measures	
[Description of first aid mea	sures]
General advice	: If symptoms persist, call a physician.
Inhalation	: Move to fresh air in case of accidental inhalation of vapors. If
	symptoms persist, call a physician.
Skin Contact	: If skin irritation persists, call a physician. Wash off immediately
	with soap and plenty of water. Wash contaminated clothing before
	reuse.
Eye Contact	: Rinse immediately with plenty of water and seek medical advice.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	Keep eye wide open while rinsing.
Ingestion	: If swallowed, call a poison control center or physician immediately.
	Do not induce vomiting without medical advice. Never give anything
	by mouth to an unconscious person.
Self-protection of the first	: Use personal protective equipment as required.
aider	
[Most important symptoms	and effects, both acute and delayed]
Symptoms	: May cause allergic skin reaction.
[Indication of any immediat	e medical attention and special treatment needed]
Note to physicians	: May cause sensitization of susceptible persons. Treat

symptomatically.

### 5. Fire Fighting Measures

Flammable Properties	: Flash Pont、131 $^\circ$ C / 268 $^\circ$ F
Suitable Extinguishing	<sup>:</sup> Dry chemical, CO2, water spray or alcohol-resistant foam.
Media	
Unsuitable Extinguishing	: Do not use straight streams
Media	
Special hazards arising	: In the event of fire and/or explosion do not breathe fumes. May
from the substance or	cause sensitization by inhalation and skin contact. Thermal
mixture	decomposition can lead to release of irritating and toxic gases and
	vapors.
Advice for firefighters	: Wear self-contained breathing apparatus and protective suit. Use
	personal protective equipment as required.

6. Accidental Release Mea	asures		
[Personal Precautions, Protective Equipment and Emergency Procedures]			
Personal precautions	: Use personal protection recommended in Section 8. Avoid contact		
	with eyes and skin. Keep people away from and upwind of spill/leak.		
For emergency responders	: Use personal protection recommended in Section 8.		
Environmental	: Collect spillage. Prevent entry into waterways, sewers, basements		
Precautions	or confined areas. Do not flush into surface water or sanitary sewer		
	system.		
[Methods and material for c	ontainment and cleaning up]		
Methods for containment	: Absorb or cover with dry earth, sand or other non-combustible		
	material and transfer to containers.		
Methods for cleaning up	: Use personal protective equipment as required. Soak up with inert		
	absorbent material. Pick up and transfer to properly labeled		
	containers. Clean contaminated surface thoroughly.		
Reference to other	: See Section 12: ECOLOGICAL INFORMATION.		
sections			

### 7. Handling and Storage



[Precautions for Safe Handling]

Advice on safe handling	: Use personal protection recommended in Section 8. Avoid contact
	with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.
General Hygiene	: When using do not eat, drink or smoke. Wash contaminated clothing
Considerations	before reuse. Regular cleaning of equipment, work area and clothing is
	recommended. Wash face, hands and any exposed skin thoroughly
	after handling.
[Conditions for Safe Storag	e, including any Incompatibilities]
Storage Conditions	: Keep out of the reach of children. Keep in properly labeled containers.
	Keep containers tightly closed in a dry, cool and well-ventilated place.
	Avoid direct sunlight or high temperature.
[Specific end use(s)]	
Risk Management	: The information required is contained in this Safety Data Sheet.
Methods (RMM)	

### 8. Exposure Controls / Personal Protection

### [Control parameters]

Chemical Name	ACGIH	OSHA PEL	NIOSH IDLH
			IDLH: 100 mg/m3
PHTHALOCYANINE BLUE	TWA: 1 mg/m3		Cu dust and mist
147-14-8	Cu dust and mist	-	TWA: 1 mg/m3
			Cu dust and mist

[Exposure Controls]

Engineering Controls : Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face protection	<sup>:</sup> Tight sealing safety goggles. Face protection shield.
Hand Protection	: Gloves made of plastic or rubber.
Skin and body	: Suitable protective clothing. Apron. Gloves made of plastic or
protection	rubber.
Environmental	: Do not allow into any sewer, on the ground or into any body of water.
exposure controls	



### 9. Physical and Chemical Properties

Product Name: UV ink Cyan SDS No. 037-U011994 First issue: 2017/04/06 Revised: 2019/11/12

Appearance - Physical State : liquid - Color : blue Odor : Characteristic odor Odor Threshold : No data available : No data available pН : No data available Melting point/freezing point : No data available Boiling point/boiling range Flash point : 131 °C / 268 °F (Cleveland Open Cup) **Evaporation** rate : No data available : No data available Flammability (solid, gas) Flammability Limits in Air : No data available Upper flammability limits Lower flammability limit : No data available Vapor Pressure Vapor density : No data available Specific gravity : 1.0-1.1g/cm3(25 deg.C) Solubility(ies) : Immiscible in water Partition coefficient : No data available Autoignition temperature : No data available : No data available Decomposition temperature : No data available Kinematic viscosity Dynamic viscosity  $:<30 \text{ mPa}\cdot\text{s}(25 \text{ deg.C})$ [Other information] Molecular weight : No data available : No data available **Explosive** properties Oxidizing properties : No data available Softening point : No data available VOC Content (%) : No data available : No data available Density : No data available Bulk density

## 10. Stability and Reactivity

Reactivity Chemical Stability No reactivity under the normal usage.Stable under normal conditions.

Explosion data	: Sensitivity to Mechanical Impact; No data available.		
	Sensitivity to Static Discharge; No data available.		
Possibility of Hazardous	: None under normal processing.		
Reactions			
Conditions to Avoid	<sup>:</sup> Heat, flames and sparks.		
Incompatible Materials	Strong oxidizing agents.		
Hazardous	: Thermal decomposition can lead to release of irritating and toxic		
decomposition products	gases and vapors.		

### 11. Toxicological Information

[Information on toxicolog	ical effects]
Acute Toxicity	
Unknown Acute	: 82.5% of the mixture consists of ingredient(s) of unknown toxicity.
Toxicity	
Component	
Information	
I D/I C50 values that	rolovant for classification

LD/LC50 values that relevant for classification.

Chemical Name		Oral LD50	Dermal LD50	Inhalation LC50
Isooctyl acrylate (structu	ure unspecified)	>5 g/kg ( Rat )	-	-
Skin	: No data availa	ble.		
corrosion/irritation				
Serious eye damage/eye	: No data availa	ble.		
irritation				
Sensitization	: No data availa	ble.		
Germ cell mutagenicity	: No data availa	ble.		
Carcinogenicity	: No data availa	ble.		
Reproductive toxicity	: No data availa	ble.		
STOT - single exposure	: No data availa	ble.		
STOT - repeated	: No data availa	ble.		
exposure				
Chronic toxicity	: Repeated conta	act may cause aller	gic reactions in ve	ery susceptible
	persons Avoid re	epeated exposure M	Iay cause adverse	liver effects
Aspiration hazard	: No data availa	ble.		
[Information on likely routes of exposure]				
INHALATION	: No data availa	ble.		
Eye contact	: No data availa	ble.		

Skin Contact	: No data available.
INGESTION	: No data available.

### 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it.
Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.
Ecotoxicity : The table below indicates component(s) of known hazards to the aquatic environment. Toxic to aquatic life with long lasting effects.
82.5% of the mixture consists of component(s) of unknown hazards to

	1		
Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isooctyl acrylate		0.67: 96 h Pimephales	0.4: 48 h Daphnia
(structure unspecified)	-	promelas mg/L LC50	magna mg/L EC50
PHTHALOCYANINE		100: 48 h Oryzias latipes	
BLUE	-	mg/L LC50 static	-
Persistence and	: No data available	2.	
Degradability			
Bioaccumulative	: No data available.		
potential			
Mobility in soil	: No data available.		
Results of PBT and	: This preparation contains no substance considered to be persistent,		
vPvB assessment	bioaccumulating nor toxic (PBT). This substance is not considered to		
	be very persistent nor very bioaccumulating (vPvB).		
Other adverse effects	: No data available	).	

### the aquatic environment

### 13. Disposal Considerations

[Waste treatment method	s]
Waste from Residues /	: Disposal should be in accordance with applicable regional, national
<b>Unused Products</b>	and local laws and regulations.
Contaminated	: Disposal should be in accordance with applicable regional, national
packaging	and local laws and regulations.
Other Information	: Waste codes should be assigned by the user based on the application
	for which the product was used.



### 14. Transport Information

Check a thing without a l	leak in a container.
Perform prevention of col	lapse of cargo surely.
[IMDG]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substances, liquid, n.o.s (Isooctyl
	acrylate)
Hazard Class	: 9
Packing Group	: III
Marine pollutant	<sup>:</sup> This material meets the definition of a marine pollutant
Environmental hazard	: Yes
Special Provisions	: 274, 335
EmS-No	: F-A, S-F
Description	UN3082 Environmentally hazardous substances, liquid, n.o.s
	(Isooctyl acrylate), 9, III
[RID]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substances, liquid, n.o.s (Isooctyl
	acrylate)
Hazard Class	: 9
Packing Group	: III
Environmental hazard	: Yes
Classification code	÷ M6
<b>Special Provisions</b>	: none
Description	UN3082 Environmentally hazardous substances, liquid, n.o.s
	(Isooctyl acrylate), 9, III
[ADR]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substances, liquid, n.o.s (Isooctyl
	acrylate)
Hazard Class	: 9
Packing Group	: III
Environmental hazard	: Yes
Special Provisions	274, 335, 601
Classification code	÷ M6

Mimaki

## Safety Data Sheets

Tunnel restriction code	: (E)
Description	UN3082 Environmentally hazardous substances, liquid, n.o.s
	(Isooctyl acrylate), 9, III,(E)
[IATA]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substances, liquid, n.o.s (Isooctyl
	acrylate)
Hazard Class	: 9
Packing Group	: III
Environmental hazard	: Yes
Special Provisions	: A97, A158
ERG Code	: 9L
Description	UN3082 Environmentally hazardous substances, liquid, n.o.s
	(Isooctyl acrylate), 9, III
Remarks	: Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is
	excepted from Dangerous Goods regulations.
	Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

15. Regulatory Information
[Safety, health and environmental regulations/legislation specific for the substance or mixture]

International	: AICS; Complies
Inventories	Legend; AICS - Australian Inventory of Chemical Substances
National Regulations	: National occupational exposure limits.
	See chapter 8.

### 16. Other Information

[Full text of R-phrases referred to under sections 2 and 3]

 $\rm R43$  - May cause sensitization by skin contact

 $\mathbf{R53}$  - May cause long-term adverse effects in the aquatic environment

 $\rm R50/53$  - Very toxic to a quatic organisms, may cause long-term adverse effects in the a quatic environment

R36/37/38 - Irritating to eyes, respiratory system and skin

 $\rm R51/53$  - Toxic to a quatic organisms, may cause long-term adverse effects in the a quatic environment

[Full text of H-Statements referred to under sections 2 and 3]



H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

 $\rm H400$  - Very toxic to a quatic life

H410 - Very toxic to a quatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

[Key or legend to abbreviations and acronyms used in the safety data sheet]

ACGIH (American Conference of Governmental Industrial Hygienists)

[Key literature references and sources for data]

No information available

[Reference]

LOLI Database (ChemADVISOR,Inc.)

The reference on GHS classification results

EU CLP(1272/2008)Annex VI Table 3.1

[Disclaimer]

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.