

SDS No. 037-U011996 First issue: 2017/04/06 Revised: 2019/11/12

# Safety Data Sheets

## 1. Identification

Product Name : UV ink Magenta

Order No. : SPC-0371M

General Use : For ink jet

Product Description : UV curable ink SDS Number : 037-U011996

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413 Importer / Distributor Established in Australia

Company Name : MIMAKI AUSTRALIA PTY LTD.

Address : Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

Telephone No. : + 61-2-8036-4500

Emergency Telephone No. : +61 2 8014 4558 (within Australia only)

18000 74234 (within Australia only)

+65 3158 1074

#### 2. Hazards Identification

[Classification of the substance or mixture]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Skin Corrosion / Irritation : Category 2

Eye Damage / Irritation : Category 2

Sensitization - Skin : Category 1

Specific Target Organ Toxicity : Category 3

(Single Exposure)

**Environmental Hazards** 

Hazardous to the Aquatic : Category 2

Environment - Long Term Hazard

Classification according to Directive 67/548/EEC

Full text of R-phrases: see section 16

The above list does not include category being non-classifiable or not-applicable.

[Hazard symbols]



SDS No. 037-U011996 First issue: 2017/04/06 Revised: 2019/11/12

## Safety Data Sheets

Xi - Irritant

N - Dangerous for the environment

[R-code(s)]

Xi;R36/37/38 - R43 - N;R51/53

[Label Elements]

Contains Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-

Symbol



## Signal Word Warning

## **Hazard Statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

H335 - May cause respiratory irritation

Precautionary Statements - EU (§28, 1272/2008)

### [Prevention]

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### [Response]

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P362 - Take off contaminated clothing and wash before reuse

#### [Other hazards]

Hazards not otherwise classified (HNOC)

· Not Applicable

### Other hazards

· Toxic to aquatic life

## 3. Composition / Information on Ingredients

#### Pure substance/mixture: mixture

Chemical Name	CAS No	weight-	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008
---------------	--------	---------	--	---



SDS No. 037-U011996 First issue: 2017/04/06 Revised: 2019/11/12

# Safety Data Sheets

				[CLP]
Monomers	CBI	65-75	-	No data available
Isooctyl acrylate (structure unspecified)	29590-42-9	5-15	Xi; R36/37/38 N; R50-53	Skin Irrit. 2 (H315)
				Eye Irrit. 2 (H319)
				STOT SE 3 (H335)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)
Photoinitiator	CBI	5-10	-	No data available
Colorant	CBI	1-5	-	No data available
Oligomer	CBI	1-5	-	No data available
Additives	CBI	1-5	-	No data available
Phosphine oxide,	162881-26-7	1-5	R43	Skin Sens. 1 (H317)
${\it phenylbis} (2,4,6\hbox{-trimethylbenzoyl}$ )-	162881-26-7	1-9	R53	Aquatic Chronic 4 (H413)

Full text of R-phrases: see section 16 Full text of H-phrases: see section 16

### 4. First Aid Measures

[Description of first aid measures]

General advice : If symptoms persist, call a physician.

Inhalation : Move to fresh air in case of accidental inhalation of vapors. If

symptoms persist, call a physician.

Skin Contact : If skin irritation persists, call a physician. Wash off immediately

with soap and plenty of water. Wash contaminated clothing before

reuse.

Eye Contact : Rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

Keep eye wide open while rinsing.

Ingestion : If swallowed, call a poison control center or physician immediately.

Do not induce vomiting without medical advice. Never give anything

by mouth to an unconscious person.

Self-protection of the first : Use personal protective equipment as required.

aider

[Most important symptoms and effects, both acute and delayed]

Symptoms : May cause allergic skin reaction.

[Indication of any immediate medical attention and special treatment needed]



SDS No. 037-U011996 First issue: 2017/04/06 Revised: 2019/11/12

## Safety Data Sheets

Note to physicians : May cause sensitization of susceptible persons. Treat

symptomatically.

## 5. Fire Fighting Measures

Flammable Properties : Flash Pont,  $127\,^{\circ}$  C /  $261\,^{\circ}$  F

Suitable Extinguishing : Dry chemical, CO2, water spray or alcohol-resistant foam.

Media

Unsuitable Extinguishing : Do not use straight streams

Media

Special hazards arising : In the event of fire and/or explosion do not breathe fumes. May

from the substance or cause sensitization by inhalation and skin contact. Thermal

mixture decomposition can lead to release of irritating and toxic gases and

vapors.

Advice for firefighters : Wear self-contained breathing apparatus and protective suit. Use

personal protective equipment as required.

#### 6. Accidental Release Measures

[Personal Precautions, Protective Equipment and Emergency Procedures]

Personal precautions : Use personal protection recommended in Section 8. Avoid contact

with eyes and skin. Keep people away from and upwind of spill/leak.

For emergency : Use personal protection recommended in Section 8.

responders

Environmental : Collect spillage. Prevent entry into waterways, sewers, basements

Precautions or confined areas. Do not flush into surface water or sanitary sewer

system.

[Methods and material for containment and cleaning up]

Methods for containment : Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Methods for cleaning up : Use personal protective equipment as required. Soak up with inert

absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

Reference to other : See Section 12: ECOLOGICAL INFORMATION.

sections



Safety Data Sheets

Product Name: UV ink Magenta SDS No. 037-U011996

> First issue: 2017/04/06 Revised: 2019/11/12

## 7. Handling and Storage

[Precautions for Safe Handling]

Advice on safe handling : Use personal protection recommended in Section 8. Avoid contact

with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

General Hygiene : When using do not eat, drink or smoke. Wash contaminated clothing

Considerations before reuse. Regular cleaning of equipment, work area and clothing is

recommended. Wash face, hands and any exposed skin thoroughly

after handling.

[Conditions for Safe Storage, including any Incompatibilities]

Storage Conditions : Keep out of the reach of children. Keep in properly labeled containers.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Avoid direct sunlight or high temperature.

[Specific end use(s)]

Risk Management : The information required is contained in this Safety Data Sheet.

Methods (RMM)

## 8. Exposure Controls / Personal Protection

[Control parameters]

Exposure Limits : This product, as supplied, does not contain any hazardous materials

with occupational exposure limits established by the region specific

regulatory bodies.

[Exposure Controls]

Engineering Controls : Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face protection : Tight sealing safety goggles. Face protection shield.

Hand Protection : Gloves made of plastic or rubber.

Skin and body : Suitable protective clothing. Apron. Gloves made of plastic or

protection rubber.

Environmental : Do not allow into any sewer, on the ground or into any body of water.

exposure controls









## 9. Physical and Chemical Properties



Safety Data Sheets

Product Name: UV ink Magenta SDS No. 037-U011996

> First issue: 2017/04/06 Revised: 2019/11/12

Appearance - Physical State : liquid

- Color :red

Odor : Characteristic odor
Odor Threshold : No data available
pH : No data available

Melting point/freezing point : No data available
Boiling point/boiling range : No data available

Flash point : 127 °C / 261 °F (Cleveland Open Cup)

Evaporation rate : No data available Flammability (solid, gas) : No data available Flammability Limits in Air : No data available

Upper flammability limits Lower flammability limit

Vapor Pressure : No data available
Vapor density : No data available

Specific gravity : 1.0-1.1g/cm3(25 deg.C)

Solubility(ies) : Immiscible in water

Partition coefficient : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Kinematic viscosity : No data available

Dynamic viscosity : <30 mPa·s(25 deg.C)

[Other information]

Molecular weight : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Softening point : No data available
VOC Content (%) : No data available
Density : No data available
Bulk density : No data available

### 10. Stability and Reactivity

Reactivity : No reactivity under the normal usage.

Chemical Stability : Stable under normal conditions.

Explosion data : Sensitivity to Mechanical Impact; No data available.



SDS No. 037-U011996 First issue: 2017/04/06 Revised: 2019/11/12

## Safety Data Sheets

Sensitivity to Static Discharge; No data available.

Possibility of Hazardous : None under normal processing.

Reactions

Conditions to Avoid : Heat, flames and sparks.

Incompatible Materials : Strong oxidizing agents.

Hazardous : Thermal decomposition can lead to release of irritating and toxic

decomposition products gases and vapors.

## 11. Toxicological Information

[Information on toxicological effects]

**Acute Toxicity** 

Unknown Acute : 84% of the mixture consists of ingredient(s) of unknown toxicity.

Toxicity

Component

Information

LD/LC50 values that relevant for classification.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isooctyl acrylate (structure unspecified)	> 5 g/kg ( Rat )	-	-

Skin : No data available.

corrosion/irritation

Serious eye damage/eye : No data available.

irritation

Sensitization : No data available.

Germ cell mutagenicity : No data available.

Carcinogenicity : No data available.

Reproductive toxicity : No data available.

STOT - single exposure : No data available.

STOT - repeated : No data available.

exposure

Chronic toxicity : Repeated contact may cause allergic reactions in very susceptible

persons Avoid repeated exposure

Aspiration hazard : No data available.

[Information on likely routes of exposure]

INHALATION : No data available.Eye contact : No data available.Skin Contact : No data available.



Safety Data Sheets

Product Name: UV ink Magenta SDS No. 037-U011996

> First issue: 2017/04/06 Revised: 2019/11/12

INGESTION : No data available.

## 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity : The table below indicates component(s) of known hazards to the

aquatic environment. Toxic to aquatic life with long lasting effects.

84% of the mixture consists of component(s) of unknown hazards to

the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isooctyl acrylate	_	0.67: 96 h Pimephales	0.4: 48 h Daphnia
(structure unspecified)	_	promelas mg/L LC50	magna mg/L EC50

Persistence and : No data available.

Degradability

Bioaccumulative : No data available.

potential

Mobility in soil : No data available.

Results of PBT and : This preparation contains no substance considered to be persistent,

vPvB assessment bioaccumulating nor toxic (PBT). This substance is not considered to

be very persistent nor very bioaccumulating (vPvB).

Other adverse effects : No data available.

#### 13. Disposal Considerations

[Waste treatment methods]

Waste from Residues / : Disposal should be in accordance with applicable regional, national

Unused Products and local laws and regulations.

Contaminated : Disposal should be in accordance with applicable regional, national

packaging and local laws and regulations.

Other Information : Waste codes should be assigned by the user based on the application

for which the product was used.

## 14. Transport Information

Check a thing without a leak in a container.



SDS No. 037-U011996 First issue: 2017/04/06 Revised: 2019/11/12

# Safety Data Sheets

Perform prevention of collapse of cargo surely.

[IMDG]

UN/ID no : UN3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Isooctyl

acrylate)

Hazard Class : 9 Packing Group : III

Marine pollutant : This material meets the definition of a marine pollutant

Environmental hazard : Yes

Special Provisions : 274, 335 EmS-No : F-A, S-F

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

[RID]

UN/ID no : UN3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Isooctyl

acrylate)

Hazard Class : 9
Packing Group : III
Environmental hazard : Yes
Classification code : M6
Special Provisions : none

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

[ADR]

UN/ID no : UN3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Isooctyl

acrylate)

Hazard Class : 9
Packing Group : III
Environmental hazard : Yes

Special Provisions : 274, 335, 601

 $\begin{array}{ll} {\rm Classification\;code} & : {\rm M6} \\ {\rm Tunnel\;restriction\;code} & : ({\rm E}) \\ \end{array}$ 

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III, (E)

[IATA]



SDS No. 037-U011996 First issue: 2017/04/06

Revised: 2019/11/12

# Safety Data Sheets

UN/ID no : UN3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Isooctyl

acrylate)

**Hazard Class** : 9 **Packing Group** : IIIEnvironmental hazard : Yes

Special Provisions : A97, A158

**ERG** Code : 9L

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

Remarks : Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is

excepted from Dangerous Goods regulations.

Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

## 15. Regulatory Information

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

International : AICS; Complies

Inventories Legend; AICS - Australian Inventory of Chemical Substances

National Regulations : National occupational exposure limits.

See chapter 8.

## 16. Other Information

[Full text of R-phrases referred to under sections 2 and 3]

R43 - May cause sensitization by skin contact

R53 - May cause long-term adverse effects in the aquatic environment

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R36/37/38 - Irritating to eyes, respiratory system and skin

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

[Full text of H-Statements referred to under sections 2 and 3]

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation



Product Name: UV ink Magenta SDS No. 037-U011996

First issue: 2017/04/06 Revised: 2019/11/12

## Safety Data Sheets

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

[Key or legend to abbreviations and acronyms used in the safety data sheet]

ACGIH (American Conference of Governmental Industrial Hygienists)

[Key literature references and sources for data]

No information available

#### [Reference]

LOLI Database (ChemADVISOR,Inc.)

The reference on GHS classification results

EU CLP(1272/2008)Annex VI Table 3.1

### [Disclaimer]

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.