

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Uvink LF-140 Yellow

Product Description

SPC-0727Y / SPC-0728Y / LF140-Y-BA

Product Use

UV cure ink for ink jet printer

Restrictions on Use

None known.

Manufacturer Information

Mimaki Engineering Co., Ltd

2182-3 Shigeno-otsu, Tomi-shi, Nagano

389-0512 Japan

Telephone number: +81-268-64-2413

Importer / Distributor Information

MIMAKI AUSTRALIA PTY LTD.

Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

Telephone number: + 61-2-8036-4500

Emergency telephone number

+61 2 8014 4558 (within Australia only)

18000 74234 (within Australia only)

+65 3158 1074

Section 2 - HAZARDS IDENTIFICATION

Classified to Globally Harmonised System of Classification and Labelling of Chemicals, Third revised edition, published by the United Nations as modified under Schedule 6 of the Work Health and Safety Regulation.

GHS Classification

Acute Toxicity - Oral - Category 4 (69% unknown)

Skin Corrosion/Irritation - Category 1

Serious Eye Damage/Eye Irritation - Category 1

Skin Sensitization - Category 1A

Carcinogenicity - Category 1A

Reproductive toxicity - Category 1B

Specific Target Organ Toxicity - Repeated Exposure - Category 2 (Central Nervous System , blood , respiratory system , thyroid gland)

Hazardous to the Aquatic Environment - Acute - Category 2

Hazardous to the Aquatic Environment - Chronic - Category 2

GHS Label Elements**Symbol(s)****Signal Word**

Danger

Hazard Statement(s)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause allergic skin reaction.

H350 May cause cancer.

H360 May damage fertility or the unborn child



Product Name: Uvink LF-140 Yellow

SDS No. 037-U071694

First issue: 2016/12/01

Revised: 2024/06/27

Safety Data Sheets

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use Personal Protective equipment as required.

Response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Statement(s) of Unknown Acute Toxicity

69% of the mixture consists of ingredient(s) of unknown acute toxicity.

Potential Environmental Effects

Toxic to aquatic life with long lasting effects.

Other Hazards Which Do Not Result in Classification

None known.

Main Symptoms and Emergency Overview

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause allergic skin reaction.

May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Proprietary	Acryl acid esters	30-60
48145-04-6	2-Propenoic acid, 2-phenoxyethyl ester	10-30
13048-33-4	1,6-Hexanediol diacrylate	15-25
Proprietary	Initiators	10-15
103-11-7	2-Ethylhexyl acrylate	<10
Proprietary	Additives	0.1-5
68511-62-6	Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione	1-5



Safety Data Sheets

Product Name: Uvink LF-140 Yellow

SDS No. 037-U071694

First issue: 2016/12/01

Revised: 2024/06/27

complexes

Section 4 - FIRST AID MEASURES

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin

Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention. Contaminated clothing should be removed and laundered before reuse.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Symptoms: Immediate

harmful if swallowed, skin irritation, severe skin burns and eye damage.

Symptoms: Delayed

cancer, allergic skin reaction, central nervous system damage, blood damage, respiratory system damage, thyroid effects, reproductive effects

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, water spray, alcohol resistant foam

Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products

Oxides of carbon, oxides of nitrogen, oxides of sulfur

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion by-products.

Hazchem/Emergency Action Code

3Z

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Environmental Precautions

Avoid release to the environment. Collect spillage.

Methods and Materials for Containment and Cleaning Up

Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk. Reduce vapors with water spray. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.



Safety Data Sheets

Product Name: Uvink LF-140 Yellow

SDS No. 037-U071694

First issue: 2016/12/01

Revised: 2024/06/27

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear suitable protective gloves and eye/face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.

Conditions for Safe Storage, Including any Incompatibilities

Store locked up.

Further information on storage conditions: Store and handle in accordance with all current regulations and standards. Store in a well-ventilated area. Keep container tightly closed. Keep cool. Keep separated from incompatible substances.

Incompatible Materials

Acids, bases, oxidizing materials, peroxides

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Australia and ACGIH have not developed exposure limits for any of this product's components.

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

Consult with a health and safety professional for specific respirators appropriate for your use.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	yellow liquid	Physical State	liquid
Odor	unique odor	Color	yellow
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>93 °C (>199 °F)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.07 (25 °C)
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	23 ±3 mPa/s 25 °C	Solubility (Other)	Not available
Density	Not available	Physical Form	liquid
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.



Product Name: Uvink LF-140 Yellow

SDS No. 037-U071694

First issue: 2016/12/01

Revised: 2024/06/27

Safety Data Sheets

Chemical Stability

Stable under normal conditions of use.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid flames, sparks, and other sources of ignition. Containers may rupture or explode if exposed to heat. Avoid contact with incompatible materials.

Incompatible Materials

Acids, bases, oxidizing materials, peroxides

Hazardous decomposition products

Oxides of carbon, oxides of nitrogen, oxides of sulfur

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

irritation, nausea, headache, drowsiness, dizziness, loss of coordination, difficulty breathing, cancer, blood damage, respiratory system damage, thyroid effects

Skin Contact

allergic reactions, severe skin burns, nausea, headache, drowsiness, dizziness

Eye Contact

serious eye damage

Ingestion

irritation, nausea, headache, drowsiness, dizziness, loss of coordination, unconsciousness, blood damage, thyroid effects

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

2-Propenoic acid, 2-phenoxyethyl ester (48145-04-6)

Oral LD50 Rat 4660 µL/kg

1,6-Hexanediol diacrylate (13048-33-4)

Oral LD50 Rat 5 g/kg

2-Ethylhexyl acrylate (103-11-7)

Oral LD50 Rat 4435 mg/kg

Dermal LD50 Rabbit 7522 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	1551.5 mg/kg

Immediate Effects

harmful if swallowed, allergic skin reaction, severe skin burns and eye damage

Delayed Effects

cancer, allergic skin reaction, central nervous system damage, blood damage, respiratory system damage, thyroid effects, reproductive effects

Irritation/Corrosivity Data

severe skin burns and eye damage

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

Available data characterizes components of this product as dermal sensitization hazards.

Component Carcinogenicity

2-Ethylhexyl acrylate	103-11-7
IARC:	Monograph 60 [1994] (Group 3 (not classifiable))
Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione complexes	68511-62-6



Safety Data Sheets

Product Name: Uvink LF-140 Yellow

SDS No. 037-U071694

First issue: 2016/12/01

Revised: 2024/06/27

IARC:	Monograph 100C [2012] ; Monograph 49 [1990] (evaluated as a group) (related to Nickel compounds) (Group 1 (carcinogenic to humans))
NTP:	Known Human Carcinogen (related to Nickel compounds)
DFG:	Category 1 (causes cancer in man) (related to Nickel compounds)
OSHA:	Present (related to Nickel compounds)
NIOSH:	potential occupational carcinogen (related to Nickel compounds)

Germ Cell Mutagenicity

No information available for the product.

Reproductive Toxicity

Available data characterizes components of this product as reproductive hazards.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

central nervous system, blood, respiratory system, thyroid

Aspiration hazard

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No information available for the product.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Analysis - Aquatic Toxicity

2-Ethylhexyl acrylate	103-11-7
Algae:	EC50 72 h Desmodesmus subspicatus 44 mg/L IUCLID ; EC50 96 h Desmodesmus subspicatus 47 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 17.45 mg/L IUCLID

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility in soil

No information available for the product.

Other adverse effects

No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations. Empty containers may contain product residue.

Section 14 - TRANSPORT INFORMATION

ADG Information:

UN proper shipping name: CORROSIVE LIQUID, N.O.S.

UN number: UN1760

Transport hazard class(es): 8

Packing Group: III

IMDG Information:

UN proper shipping name: CORROSIVE LIQUID, N.O.S.

UN number: UN1760



Safety Data Sheets

Product Name: Uvink LF-140 Yellow
SDS No. 037-U071694
First issue: 2016/12/01
Revised: 2024/06/27

Transport hazard class(es): 8

Packing Group: III

IATA Information:

UN proper shipping name: CORROSIVE LIQUID, N.O.S.

UN number: UN1760

Transport hazard class(es): 8

Packing Group: III

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

2-Ethylhexyl acrylate	103-11-7
IBC Code:	Category Y

Hazchem/Emergency Action Code

3Z

Section 15 - REGULATORY INFORMATION

Australia Regulations

Work Health and Safety Regulations - Prohibited Carcinogens

No component(s) are listed on the Prohibited Carcinogens list.

Work Health and Safety Regulations - Restricted Carcinogens

No component(s) are listed on the Restricted Carcinogens list.

Work Health and Safety Regulations - Restricted Hazardous Chemicals

The following component(s) are listed on the Restricted Hazardous Chemicals list:

Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione complexes	68511-62-6
Australia:	For abrasive blasting at a concentration of >0.1% as Nickel (related to Nickel compounds)
South Australia:	For abrasive blasting at a concentration of >0.1% as Nickel (related to Nickel compounds)
Tasmania:	For abrasive blasting at a concentration of >0.1% as Nickel (related to Nickel compounds)
Queensland:	For abrasive blasting at a concentration of >0.1% as Nickel (related to Nickel compounds)

Australia Work Health and Safety Regulations - Hazardous Chemicals Requiring Health Monitoring

None of this product's components are on the list.

Component Analysis - Inventory

2-Propenoic acid, 2-phenoxyethyl ester (48145-04-6)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - Annex 1	KR - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes

1,6-Hexanediol diacrylate (13048-33-4)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - Annex 1	KR - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

2-Ethylhexyl acrylate (103-11-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - Annex 1	KR - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	No	Yes	Yes	Yes	Yes



Safety Data Sheets

Product Name: Uvink LF-140 Yellow

SDS No. 037-U071694

First issue: 2016/12/01

Revised: 2024/06/27

Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione complexes (68511-62-6)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - Annex 1	KR - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes

Section 16 - OTHER INFORMATION

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.