

1. Identification

Product Name	Latex ink LX100/LX101 White
Order No.	: LX100-W-22
Ink Ver.	: 3
General Use	: Ink for ink jet printer
Product Description	Aqueous ink
SDS Number	: 037-W352013
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	:+81-268-64-2413
Importer / Distributor Esta	blished in Australia
Company Name	: MIMAKI AUSTRALIA PTY LTD.
Address	: Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia
Telephone No.	: + 61-2-8036-4500
Emergency Telephone No.	: +61 2 8014 4558 (within Australia only)
	18000 74234 (within Australia only)
	$+65\ 3158\ 1074$

2. Hazards Identification

[Classification of the substance or mixture]	
Poisons Schedule	: Not Applicable
[Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Skin Corrosion / Irritation	: Category 2
Eye Damage / Irritation	: Category 2A
Carcinogenicity	: Category 1A
Specific Target Organ Toxicity	: Category 3 (respiratory tract irritation)
(Single Exposure)	
Legend: Classified by Chemwatch	

The above list does not include category being non-classifiable or not-applicable.

[Label Elements]



Symbol



Signal Word Danger Hazard Statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H350 May cause cancer. **Precautionary Statements** [Prevention] P201 Obtain special instructions before use. P271 Use only outdoors or in a well-ventilated area. P281 Use personal protective equipment as required. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. Response P308+P313 IF exposed or concerned: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P332+P313 If skin irritation occurs: Get medical advice/attention. [Storage] P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. [Disposal]

P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

[Substances]

See section below for composition of Mixtures

Mixtures

No	Chemical Name	Wt%	CAS No.
1	Alcohol solvent series	23-27	Not Available
2	Glycol ether solvents	15-25	Not Available
3	titanium dioxide	1-10	13463-67-7
4	methyldiethanolamine	0.1-0.5	105 - 59 - 9



5	water	residue	7732-18-5	
4. First Aid Measur	-			
Description of first a		• • • • • • • • • • • • • • • • • • • •		
Eye Contact	-	nes in contact with the eyes		
		Wash out immediately with fresh running water.		
	_	Ensure complete irrigation of the eye by keeping eyelids apart and		
		away from eye and moving the eyelids by occasionally lifting the		
	upper and lower lic			
		ntion without delay; if pain	persists or recurs seel	
	medical attention.			
		Removal of contact lenses after an eye injury should only be		
	undertaken by skil	-		
Skin Contact		If skin contact occurs:		
	-	Immediately remove all contaminated clothing, including footwear.		
	Flush skin and hair with running water (and soap if available).			
		ntion in event of irritation.		
Inhalation		: If fumes or combustion products are inhaled remove from		
	contaminated area			
		Lay patient down. Keep warm and rested.		
	Prostheses such as false teeth, which may block airway, should be			
	removed, where possible, prior to initiating first aid procedures.			
		spiration if not breathing, p		
		demand valve resuscitator, bag-valve mask device, or pocket mask as		
	trained. Perform C	·		
		pital, or doctor, without dela	ay.	
Ingestion		OT induce vomiting.		
	-	If vomiting occurs, lean patient forward or place on left side		
	(head-down position, if possible) to maintain open airway and prevent			
	aspiration.			
	Observe the patient carefully.			
		to a person showing signs o		
		reduced awareness; i.e. becoming unconscious.		
		e out mouth, then provide l	iquid slowly and as	
	-	an comfortably drink.		
	Seek medical advi	ce.		



Indication of Immediate	: Treat symptomatically.
Medical Attention and	
Special Treatment	
Needed	

5. Fire Fighting Measures

00	
[Extinguishing Media]	
Extinguishing Media	: The product contains a substantial proportion of water, therefore
	there are no restrictions on the type of extinguishing media which
	may be used. Choice of extinguishing media should take into account
	surrounding areas.
	Though the material is non-combustible, evaporation of water from
	the mixture, caused by the heat of nearby fire, may produce floating
	layers of combustible substances.
	In such an event consider
	Foam. Dry chemical powder. Carbon dioxide.
[Special hazards arising fro	m the substrate or mixture]
Fire Incompatibility	None known.
[Advice for firefighters]	
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.
	Wear breathing apparatus plus protective gloves in the event of a
	fire.
	Prevent, by any means available, spillage from entering drains or
	water courses.
	Use fire fighting procedures suitable for surrounding area.
	DO NOT approach containers suspected to be hot.
	Cool fire exposed containers with water spray from a protected
	location.
	If safe to do so, remove containers from path of fire.
	Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	: The material is not readily combustible under normal conditions.
	However, it will break down under fire conditions and the organic
	component may burn.
	Not considered to be a significant fire risk.
	Heat may cause expansion or decomposition with violent rupture of
	containers.



	Decomposes on heating and may produce toxic fumes of carbon
	monoxide (CO).
	May emit acrid smoke.
	Decomposes on heating and produces toxic fumes of carbon dioxide
	(CO2) other pyrolysis products typical of burning organic material.
	May emit poisonous fumes.
	May emit corrosive fumes.
HAZCHEM	: Not Applicable

6. Accidental Release Measures

Personal precautions, protective equipment and	: See section 8.
emergency procedures	
Environmental	: See section 12.
precautions	
[Methods and material for c	ontainment and cleaning up]
Minor Spills	: Slippery when spilt.
	Clean up all spills immediately.
	Avoid breathing vapours and contact with skin and eyes.
	Control personal contact with the substance, by using protective
	equipment.
	Contain and absorb spill with sand, earth, inert material or
	vermiculite.
	Wipe up.
	Place in a suitable, labelled container for waste disposal.
Major Spills	Slippery when spilt.
	Moderate hazard.
	Clear area of personnel and move upwind.
	Alert Fire Brigade and tell them location and nature of hazard.
	Wear breathing apparatus plus protective gloves.
	Prevent, by any means available, spillage from entering drains or
	water course.
	Stop leak if safe to do so.
	Contain spill with sand, earth or vermiculite.
	Collect recoverable product into labelled containers for recycling.

MINCIKI[®] Safety Data Sheets

Neutralise/decontaminate residue (see Section 13 for specific agent). Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.

If contamination of drains or waterways occurs, advise emergency services.

7. Handling and Stora	uge
[Precautions for safe has	ndling]
Safe handling	Avoid all personal contact, including inhalation.
	Wear protective clothing when risk of exposure occurs.
	Use in a well-ventilated area.
	Avoid contact with incompatible materials.
	When handling, DO NOT eat, drink or smoke.
	Keep containers securely sealed when not in use.
	Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Work clothes should be laundered separately. Launder contaminated
	clothing before re-use.
	DO NOT allow clothing wet with material to stay in contact with skin
[Conditions for safe stor	age, including any incompatibilities]
Storage	: Store in original containers.
	No smoking, naked lights or ignition sources.
	Store locked up.
	Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials and foodstuff containers.
	Protect containers against physical damage and check regularly for
	leaks.
	Observe manufacturer's storage and handling recommendations
	contained within this SDS.
Incompatibility	Strong acids, strong oxidisers, acid anhydrides, oxidising and reducing
moompationity	agents.

8. Exposure Controls / Personal Protection

[Control parameters] OCCUPATIONAL EXPOSURE LIMITS (OEL)



INGREDIENT DATA

Source: Australia Exposure Standards

Ingredient	Material name	TWA	STEL	Peak	Notes
titanium	Titonian diamida	10	Not	Not	Not
dioxide	Titanium dioxide	10 mg/m3	Available	Available	Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
titanium dioxide	Titanium oxide; (Titanium dioxide)	30 mg/m3	330 mg/m3	2,000 mg/m3

Ingredient	Original IDLH	Revised IDLH
titanium dioxide	N.E. mg/m3 / N.E. ppm	5,000 mg/m3
Glycol ether solvents	Not Available	Not Available
Alcohol solvent series	Not Available	Not Available
methyldiethanolamine	Not Available	Not Available
water	Not Available	Not Available

Exposure Controls	
Appropriate	: Local exhaust ventilation usually required.
Engineering Controls	Provide adequate ventilation in warehouse or closed storage area.
Personal protection	
Eye and face	: Safety glasses with side shields.
protection	Chemical goggles.
	Contact lenses may pose a special hazard; soft contact lenses may
	absorb and concentrate irritants.
Hands/feet protection	: Wear chemical protective gloves, e.g. PVC.
	Wear safety footwear or safety gumboots, e.g. Rubber
Body protection	: P.V.C. apron.
Respiratory Protection	\div Consult with a health and safety professional for specific respirators
	appropriate for your use.
Thermal hazards	: Not Available.





9.	Physical	and	Chemical	Properties
----	----------	-----	----------	------------

[Information on basic physical and chemical properties]			
Appearance - Physical State	: liquid		
- Color	: white		
Odor	: Slight		
Odour threshold	: Not Available		
pH (as supplied)	: 8.8-9.8		
Melting point / freezing point (°C)	: Not Available		
Initial boiling point and boiling range	: Not Available		
(°C)			
Flash point (°C)	: Not Available		
Evaporation rate	: Not Available		
Flammability	: Not Available		
Upper Explosive Limit (%)	: Not Available		
Lower Explosive Limit (%)	: Not Available		
Vapour pressure (kPa)	: Not Available		
Solubility in water (g/L)	: Not Available		
Vapour density (Air = 1)	: Not Available		
Relative density (Water = 1)	: 1.07-1.09		
Partition coefficient n-octanol / water	: Not Available		
Auto-ignition temperature (°C)	: Not Available		
Decomposition temperature	: Not Available		
Viscosity (cSt)	: Not Available		
Molecular weight (g/mol)	: Not Available		
Taste	: Not Available		
Explosive properties	: Not Available		
Oxidising properties	: Not Available		
Surface Tension (dyn/cm or mN/m)	: Not Available		
Volatile Component (%vol)	: Not Available		
Gas group	: Not Available		
pH as a solution (1%)	: Not Available		
VOC g/L	: Not Available		

10. Stability and Reactivity

Reactivity

: Stable under normal conditions of use.



Chemical Stability	: Unstable in the presence of incompatible materials.
	Product is considered stable.
Possibility of Hazardous	: Hazardous polymerisation will not occur.
Reactions	
Conditions to Avoid	: See section 7
Incompatible Materials	: See section 7
Hazardous	: See section 5
Decomposition	

11. Toxicological Information

[Acute Toxicity]

	TOXICITY	IRRITATION	
As a product	Not Available	Not Available	
titanium	Inhalation (rat) LC50: >2.28 mg/l4 h	Skin (human): 0.3 mg /3D (int)-mild	
dioxide	Oral (rat) LD50: >2000 mg/kg	Skin (numan): 0.3 mg/3D (int)-mild	
Methyl	Dermal (rabbit) LD50: >5990 mg/kg	Eye (rabbit) 20 mg open - irrit.	
diethanolamine	Oral (rat) LD50: 1900 mg/kg	Skin (rabbit) 10 mg/24H open-mild	
dietnanolamine Oral (rat) LD50- 1900 mg/kg		Skin (rabbit) 502 mg open - mild	
water	Not Available	Not Available	

[Information on toxicological effects]

Inhaled	: The material can cause respiratory irritation in some persons. The
	body's response to such irritation can cause further lung damage.
Ingestion	: Accidental ingestion of the material may be damaging to the health of
	the individual.
Skin Contact	This material can cause inflammation of the skin on contact in some
	persons.
	The material may accentuate any pre-existing dermatitis condition
	Skin contact is not thought to have harmful health effects (as classified
	under EC Directives); the material may still produce health damage
	following entry through wounds, lesions or abrasions.
	Open cuts, abraded or irritated skin should not be exposed to this
	material
	Entry into the blood-stream, through, for example, cuts, abrasions or
	lesions, may produce systemic injury with harmful effects. Examine the
	skin prior to the use of the material and ensure that any external

MIMCIKI[®] Safety Data Sheets

	damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Studies show that inhaling this substance for over a long period (e.g.
	in an occupational setting) may increase the risk of cancer.
	Long-term exposure to respiratory irritants may result in airways
	disease, involving difficulty breathing and related whole-body
	problems.
	Substance accumulation, in the human body, may occur and may cause
	some concern following repeated or long-term occupational exposure.
	There has been concern that this material can cause cancer or
	mutations, but there is not enough data to make an assessment.
	Some glycol esters and their ethers cause wasting of the testicles,
	reproductive changes, infertility and changes to kidney function.
	Shorter chain compounds are more dangerous.
TITANIUM DIOXIDE	: The material may produce moderate eye irritation leading to
	inflammation. Repeated or prolonged exposure to irritants may produce
	conjunctivitis.
	Exposure to titanium dioxide is via inhalation, swallowing or skin
	contact. When inhaled, it may deposit in lung tissue and lymph nodes
	causing dysfunction of the lungs and immune system. Absorption by
	the stomach and intestines depends on the size of the particle. It
	penetrated only the outermost layer
	of the skin, suggesting that healthy skin may be an effective barrier.
	There is no substantive data on genetic damage, though cases have
	been reported in experimental animals. Studies have differing
	conclusions on its cancer-causing potential.
	WARNING: This substance has been classified by the IARC as Group
	2B: Possibly Carcinogenic to Humans.
	* IUCLID
METHYL	: The material may cause skin irritation after prolonged or repeated
DIETHANOLAMINE	exposure and may produce on contact skin redness, swelling, the
	production of vesicles, scaling and thickening of the skin.
Skin	Category 2, as a product
Irritation/Corrosion	
Serious Eye	Category 2A, as a product
Damage/Irritation	
Respiratory or Skin	Data Not Available to make classification



sensitisation	
Mutagenicity	Data Not Available to make classification
Carcinogenicity	Category 1B, as a product
	TITANIUM DIOXIDE; as Group 2B: Possibly Carcinogenic to
	Humans.
Reproductivity	: Data Not Available to make classification
$\mathrm{STOT}-\mathrm{Single}$	Category 3, as a product
Exposure	respiratory tract irritation.
$\mathrm{STOT}-\mathrm{Repeated}$: Data Not Available to make classification
Exposure	
Aspiration Hazard	: Data Not Available to make classification

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96	Fish	155mg/L	2
	EC50	48	Crustacea	>10mg/L	2
titanium dioxide	EC50	72	Algae or other aquatic plants	5.83mg/L	4
	EC20	72	Algae or other aquatic plants	1.81mg/L	4
	NOEC	336	Fish	0.089mg/L	4
	LC50	96	Fish	320mg/L	1
	EC50	48	Crustacea	=230mg/L	1
methyldiethanol amine	EC50	96	Algae or other aquatic plants	=20mg/L	1
	EC20	96	Algae or other aquatic plants	=7.4mg/L	1
	NOEC	96	Fish	=460mg/L	1

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Mobility Persistence and Degradability

: No information available for the product. : No information available for the product.



Bioaccumulative	: No information available for the product.
Potential	
Other Adverse Effects	: No information available for the product.
13. Disposal Consideration	ons
Disposal Methods	: Dispose in accordance with all applicable regulations. Empty
	containers may contain product residue.

Do not dump this product into sewers, on the ground or into any body of water.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Labels Required	: Marine Pollutant: NO	
	HAZCHEM: Not Applicable	
Land transport (ADG)	: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	
Air transport	: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	
(ICAO-IATA / DGR)		
Sea transport	: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	
(IMDG-Code / GGVSee)		
Transport in bulk according to Annex II of MARPOL and the IBC code		

: Not Applicable

15. Regulatory Information

[Safety, health and environmental regulations / legislation specific for the substance or mixture]

Chemical Name	Regulatory
	Australia Exposure Standards.
TITANIUM	Australia Inventory of Chemical Substances (AICS).
DIOXIDE(13463-67-7)	International Agency for Research on Cancer (IARC) – Agents.
	Classified by the IARC Monographs.
METHYLDIETHANOLAMINE	Australia Hazardous Chemical Information System (HCIS) -
(105-59-9)	Hazardous Chemicals
(105-59-9)	Australia Inventory of Chemical Substances (AICS)
WATER(7732-18-5)	Australia Inventory of Chemical Substances (AICS)



[National Inventory]	
Australia - AICS	: Y
Canada - DSL	: N
Canada - NDSL	: Y
China - IECSC	: N
Europe - EINEC / ELINCS / NLP	: Y
Japan - ENCS	: Y
Korea - KECI	: Y
New Zealand - NZIoC	: N
Philippines - PICCS	: N
USA - TSCA	: Y
	Y = All ingredients are on the inventory
	N = Not determined or one or more ingredients are not
	on the inventory and are not exempt from listing

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.