

Safety Data Sheet

Section 1 - Identification			
Product identifier	TP410 Light Black		
Product code	TP410-LK-2L		
Recommended use of the chemical and restrictions on use	Inkjet printing ink		
Details of manufacturer	MIMAKI ENGINEERING CO., LTD.		
	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN		
	+81-268-64-2413		
Details of Importer / Distributor	MIMAKI AUSTRALIA PTY LTD.		
	Unit 14, 38–46 South Street, Rydalmere, NSW 2116, Australia		
	+ 61-2-8036-4500		
Emergency telephone number	+61 2 8014 4558 (within Australia only)		
	18000 74234 (within Australia only)		
	+65 3158 1074		

Section 2 - Hazard(s) Identification

Classification of the hazardous chemical	
	Not classified.
Label elements, including precautionary	
statements	
Pictograms or Symbols	None
Signal Word	None
Hazard Statements	None
Precautionary Statements	
Prevention	None
Response	None
Storage	None
Disposal	None

Section 3 - Composition and Information on Ingredients

S	ubstances or mixture	Mixture	
	Ingredients name	Contents	CAS RN
	glycerol	20-30%	56-81-5
	propane-1,2-diol	3-5%	57-55-6
	2,2'-(ethylenedioxy)diethanol	3-5%	112-27-6
	Others	60-74%	Trade Secret

Section 4 - First Aid Measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get



Product identifier: TP410 Light Black SDS No. 037-W577889 First issue: 2024/01/17 Revised: 2024/07/30

	medical attention if irritation occurs.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable
	for breathing. Get medical attention if symptoms occur.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Section 5 – Fire Fighting Measures	
Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the	In a fire or if heated, a pressure increase will occur and the container
chemical	may burst.
Hazardous thermal decomposition	Decomposition products may include the following materials:
products	carbon dioxide

carbon monoxide Special protective actions for fire-Promptly isolate the scene by removing all persons from the vicinity of fighters the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Special protective equipment for fire-Fire-fighters should wear appropriate protective equipment and selffighters contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ı.

.

.

Section 6 - Accidental Release Measures

. ...

Personal precautions, protective equi	pment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable
	training. Evacuate surrounding areas. Keep unnecessary and
	unprotected personnel from entering. Do not touch or walk through
	spilled material. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of
	any information in Section 8 on suitable and unsuitable materials. See
	also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil,
	waterways, drains and sewers. Inform the relevant authorities if the
	product has caused environmental pollution (sewers, waterways, soil or
	air).
Methods and materials for containme	nt and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with
	water and mop up if water-soluble. Alternatively, or if water-insoluble,



Product identifier: TP410 Light Black SDS No. 037–W577889 First issue: 2024/01/17 Revised: 2024/07/30

absorb with an inert dry material and place in an appropriate waste

away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10

for incompatible materials before handling or use.

Large spill	disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.
Section 7 - Handling and Storage	
Precautions for safe handling	
Protective measures Advice on general occupational hygiene	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area,

Section 8 - Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
glycerol	Safe Work Australia (Australia, 12/2019).
	TWA: 10 mg/m ³ 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 10 mg/m³ 8 hours. Form: Mist
	DFG MAC-values list (Germany, 8/2020).
	TWA: 200 mg/m ³ 8 hours. Form: inhalable fraction
	PEAK: 400 mg/m³, 4 times per shift, 15 minutes. Form: inhalable
	fraction
propane-1,2-diol	Safe Work Australia (Australia, 12/2019).
	TWA: 10 mg/m ³ 8 hours. Form: Particulate
	TWA: 150 ppm 8 hours. Form: Vapor and particulates



	TWA: 474 mg/m 3 8 hours. Form: Vapor and particulates
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 10 mg/m ³ 8 hours. Form: Particulate
	TWA: 474 mg/m ³ 8 hours. Form: total vapour and particulates
	TWA: 150 ppm 8 hours. Form: total vapour and particulates
2,2'-(ethylenedioxy)diethanol	DFG MAC-values list (Germany, 8/2020).
	TWA: 1000 mg/m³ 8 hours. Form: inhalable fraction
	PEAK: 2000 mg/m³, 4 times per shift, 15 minutes. Form: inhalable
	fraction
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be
	checked to ensure they comply with the requirements of environmental
	protection legislation. In some cases, fume scrubbers, filters or
	engineering modifications to the process equipment will be necessary
	to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical
	products, before eating, smoking and using the lavatory and at the end
	of the working period. Appropriate techniques should be used to
	remove potentially contaminated clothing. Wash contaminated clothing
	before reusing. Ensure that eyewash stations and safety showers are
	close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used
	when a risk assessment indicates this is necessary to avoid exposure
	to liquid splashes, mists, gases or dusts. If contact is possible, the
	following protection should be worn, unless the assessment indicates a
	higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved
	standard should be worn at all times when handling chemical products
	if a risk assessment indicates this is necessary.
Body protection	Personal protective equipment for the body should be selected based
	on the task being performed and the risks involved and should be
	approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures
·	should be selected based on the task being performed and the risks
	involved and should be approved by a specialist before handling this
	product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator
	that meets the appropriate standard or certification. Respirators must



be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9 – Physical and Chemical Property	ties
Appearance	
Physical state	Liquid.
Color	Black.
Odor	Characteristic.
Odor threshold	Not available.
рH	7–9
Melting point/freezing point	Not available.
Boiling point	Not available.
Flash point	Not flammable
Evaporation rate	Not available.
Flammability(Solid,Gas)	Not available.
Flammability or explosive limits	
Lower limit	Not available.
Upper limit	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.0-1.1
Solubility	Not available.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5-7mPa·s(25°C)
Section 10 - Stability and Reactivity	
Reactivity	No specific test data related to reactivity available for this product or
	its ingredients.
Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will
	not occur.
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition

Section	9 -	- Physi	cal and	Chemical	Properties
00001011		1 119 31		Oneniucai	

Section 11 - Toxicological Information	
Acute toxicity (Oral)	Not available.
Acute toxicity (Dermal)	Not available.
Acute toxicity (Inhalation : Gases)	Not available.

products should not be produced.

*M*imaki[®]

Safety Data Sheet

Acute toxicity (Inhalation : Vapours)	Not available.
Acute toxicity (Inhalation : dust/mist)	Not available.
Skin corrosion/ Irritation	Not available.
Serious eye damage/ irritation	Not available.
Respiratory Sensitization	Not available.
Skin Sensitization	Not available.
Germ cell mutagenicity	Not available.
Carcinogenicity	Not available.
Reproductive toxicity	Not available.
Reproductive toxicity, effects on or via lactation	Not available.
Specific target organ toxicity – Single exposure	Not available.
Specific target organ toxicity -	Not available.
Repeated exposure	
Aspiration hazard	Not available.
Section 12 - Ecological Information	
Hazardous to the Aquatic Environment -	Not available.
Acute Toxicity	
Hazardous to the Aquatic Environment -	Not available.
Chronic Toxicity	
Hazardous to the Ozone layer	Not available.
Section 13 – Disposal considerations	
Disposal methods	Disposal of this product, solutions and any by-products should at all
	times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	waste disposal legislation and any regional local authority requirements.
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in
Section 14 - Transport Information	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with
Section 14 – Transport Information International regulations	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with
	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with
International regulations	waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Safety Data Sheet

Section 15 - Regulatory Information

Model Work Health and Safety Regulations – Scheduled Substances No listed substance

16. OTHER INFORMATION	
Literature References	SDS of raw material
Other data	The information suggested in this Safety Data Sheet does not
	comprehend everything and should be adopted only as a guide.
	The accuracy of the information and recommendations suggested
	herein are credible. However the company makes no warranty
	regarding such information and recommendations and disclaims all
	liability for reliance thereon.