

Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17 Revised: 2024/07/30

Section 1 - Identification

Product identifier TP410 Magenta Product code TP410-M-2L Recommended use of the chemical and Inkiet printing ink

restrictions on use

Details of manufacturer MIMAKI ENGINEERING CO., LTD.

2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

+81-268-64-2413

Details of Importer / Distributor MIMAKI AUSTRALIA PTY LTD.

Unit 14, 38-46 South Street, Rydalmere, NSW 2116, Australia

+ 61-2-8036-4500

Emergency telephone number +61 2 8014 4558 (within Australia only)

18000 74234 (within Australia only)

+65 3158 1074

#### Section 2 - Hazard(s) Identification

Classification of the hazardous chemical

Not classified.

Label elements, including precautionary

statements

Pictograms or Symbols None Signal Word None Hazard Statements None

**Precautionary Statements** 

Prevention None Response None Storage None Disposal None

## Section 3 - Composition and Information on Ingredients

Substances or mixture		Mixture	Mixture	
	Ingredients name	Contents	CAS RN	
	glycerol	15-25%	56-81-5	
	propane-1,2-diol	3-5%	57-55-6	
	2,2'-(ethylenedioxy)diethanol	3-5%	112-27-6	
	Others	65-79%	Trade Secret	

#### Section 4 - First Aid Measures

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Get

Page 1 of 7



Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17

Revised: 2024/07/30

medical attention if irritation occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable

> for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be

delayed.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. If material has been swallowed and the

> exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

## Section 5 - Fire Fighting Measures

Extinguishing media

Use an extinguishing agent suitable for the surrounding fire. Suitable extinguishing media

Unsuitable extinguishing media None known.

Specific hazards arising from the

chemical

Hazardous thermal decomposition

products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

may burst.

Special protective actions for fire-

fighters

Promptly isolate the scene by removing all persons from the vicinity of

In a fire or if heated, a pressure increase will occur and the container

the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

#### Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable For non-emergency personnel

training. Evacuate surrounding areas. Keep unnecessary and

unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders If specialized clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, Environmental precautions

> waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or

air).



Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17 Revised: 2024/07/30

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Prevent entry

into sewers, water courses, basements or confined areas. Wash

spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for

disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

### Section 7 - Handling and Storage

Precautions for safe handling

Protective measures

Advice on general occupational

hygiene

Large spill

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8 - Exposure controls and personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
glycerol	Safe Work Australia (Australia, 12/2019).
	TWA: 10 mg/m³ 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 10 mg/m³ 8 hours. Form: Mist
	DFG MAC-values list (Germany, 8/2020).
	TWA: 200 mg/m³ 8 hours. Form: inhalable fraction
	PEAK: 400 mg/m³, 4 times per shift, 15 minutes. Form: inhalable
	fraction



Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17 Revised: 2024/07/30

propane-1,2-diol	Safe Work Australia (Australia, 12/2019).
	TWA: 10 mg/m³ 8 hours. Form: Particulate
	TWA: 150 ppm 8 hours. Form: Vapor and particulates
	TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 10 mg/m³ 8 hours. Form: Particulate
	TWA: 474 mg/m³ 8 hours. Form: total vapour and particulates
	TWA: 150 ppm 8 hours. Form: total vapour and particulates
2,2'-(ethylenedioxy)diethanol	DFG MAC-values list (Germany, 8/2020).
	TWA: 1000 mg/m³ 8 hours. Form: inhalable fraction
	PEAK: 2000 mg/m³, 4 times per shift, 15 minutes. Form: inhalable
	fraction
Appropriate engineering controls	Good general ventilation should be sufficient to control worker
	exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be
	checked to ensure they comply with the requirements of environmental
	protection legislation. In some cases, fume scrubbers, filters or
	engineering modifications to the process equipment will be necessary
	to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical
	products, before eating, smoking and using the lavatory and at the end
	of the working period. Appropriate techniques should be used to
	remove potentially contaminated clothing. Wash contaminated clothing
	before reusing. Ensure that eyewash stations and safety showers are
	close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used
- •	when a risk assessment indicates this is necessary to avoid exposure
	to liquid splashes, mists, gases or dusts. If contact is possible, the
	· · · · · · · · · · · · · · · · · · ·

Skin protection

Hand protection

Body protection

Other skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products

following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

if a risk assessment indicates this is necessary.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

Page 4 of 7



Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17 Revised: 2024/07/30

product.

Respiratory protection Based on the hazard and potential for exposure, select a respirator

> that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure

proper fitting, training, and other important aspects of use.

### Section 9 - Physical and Chemical Properties

Appearance

Physical state Liquid. Color Red.

Odor Characteristic. Not available. Odor threshold

рΗ 7-9

Not available. Melting point/freezing point **Boiling** point Not available. Not flammable Flash point Evaporation rate Not available. Not available. Flammability(Solid, Gas)

Flammability or explosive limits

Lower limit Not available. Not available. Upper limit Vapor pressure Not available. Not available. Vapor density 1.0 - 1.1Relative density

Solubility Not available. Not available. Partition coefficient: n-octanol/water Auto-ignition temperature Not available. Not available. Decomposition temperature 5-7mPa·s(25°C) Viscosity

### Section 10 - Stability and Reactivity

Reactivity No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability The product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid No specific data. Incompatible materials No specific data.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

### Section 11 - Toxicological Information



Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17 Revised: 2024/07/30

Acute toxicity (Oral) Not available. Not available. Acute toxicity (Dermal) Acute toxicity (Inhalation : Gases) Not available. Acute toxicity (Inhalation : Vapours) Not available. Acute toxicity (Inhalation : dust/mist) Not available. Skin corrosion/ Irritation Not available. Serious eye damage/irritation Not available. Respiratory Sensitization Not available. Not available. Skin Sensitization Germ cell mutagenicity Not available. Carcinogenicity Not available. Not available. Reproductive toxicity Not available. Reproductive toxicity, effects on or via Specific target organ toxicity - Single Not available. exposure

Specific target organ toxicity -

Repeated exposure

Aspiration hazard

Not available.

Not available.

### Section 12 - Ecological Information

Hazardous to the Aquatic Environment -Not available.

Acute Toxicity

Hazardous to the Aquatic Environment -

Chronic Toxicity

Hazardous to the Ozone layer

Not available.

Not available.

#### Section 13 - Disposal considerations

Disposal methods

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14 - Transport Information

International regulations

**IMDG** Not regulated.



Product identifier: TP410 Magenta

SDS No. 037-W577883 First issue: 2024/01/17 Revised: 2024/07/30

IATA Not regulated. ADG Not regulated.

### Section 15 - Regulatory Information

Model Work Health and Safety Regulations - Scheduled Substances No listed substance

## 16. OTHER INFORMATION

Literature References Other data SDS of raw material

The information suggested in this Safety Data Sheet does not comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty regarding such information and recommendations and disclaims all liability for reliance thereon.